



Food and Agriculture
Organization of the
United Nations



International
Plant Protection
Convention

09
2017

ENG

IMPLEMENTATION REVIEW AND SUPPORT SYSTEM (IRSS)

Analyzing the benefits of implementing the IPPC

A review of the benefits of
contracting party implementation



Analyzing the benefits of implementing the IPPC

A review of the benefits of
contracting party implementation

This study presents a summary of the benefits of implementing the International Plant Protection Convention (IPPC), international standards for phytosanitary measures (ISPMs) and recommendations made by the Commission on Phytosanitary Measures (CPM). Analysis of benefits was conducted by the IPPC Secretariat in conjunction with experts from the fields of plant health, international trade, international economics and environmental protection. This work has been developed by the IPPC Secretariat, with case studies provided by contracting parties and reviewed by selected experts. The elaboration of this study was made possible thanks to the European Commission's support of the IPPC Implementation Review and Support System (IRSS) project.

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.

The views expressed in this information product are those of the author(s) and do not necessarily reflect the views or policies of FAO.

ISBN 978-92-5-109867-7

© FAO, 2017

FAO encourages the use, reproduction and dissemination of material in this information product. Except where otherwise indicated, material may be copied, downloaded and printed for private study, research and teaching purposes, or for use in non-commercial products or services, provided that appropriate acknowledgement of FAO as the source and copyright holder is given and that FAO's endorsement of users' views, products or services is not implied in any way.

All requests for translation and adaptation rights, and for resale and other commercial use rights should be made via www.fao.org/contact-us/licence-request or addressed to copyright@fao.org.

FAO information products are available on the FAO website (www.fao.org/publications) and can be purchased through publications-sales@fao.org.

When this ISPM is reproduced, it should be mentioned that current adopted versions of ISPMs are available for download on www.ippc.int.

Contents

Abbreviations and acronyms	iv
Preface	vi
Introduction	1
Benefits	2
The nature of benefits	2
IPPC beneficiaries	3
The importance of implementation capacity	4
What are the benefits of being an IPPC contracting party?	5
Why do we need a Convention and international standards?	6
International standards for phytosanitary measures (ISPMs)	6
Why is international cooperation beneficial to contracting parties?	10
Exchanging information	10
Easy access to official contact point information	10
Addressing specific pest issues	10
Technical and other assistance	11
How implementing the IPPC facilitates trade and economic development	12
The economic benefits of using internationally harmonized phytosanitary measures	16
The use of area freedom to facilitate trade	18
How is the environment protected as a result of IPPC related activities?	18
IPPC's link to CBD in protecting the environment	18
Aquatic plants and the environment	19
Protection of endangered areas such as forests	20
A shift towards 'green' pest management	20
How does implementing the IPPC contribute to food security?	21
Contingency planning and response capability	22
Diagnostics identify the specific problems	23
How do IPPC tools and technical resources benefit contracting parties?	24
Phytosanitary Capacity Evaluation tool	24
The ePhyto solution	26
The Online Commenting System (OCS)	27
The Implementation Review and Support System (IRSS) Helpdesk	27
Conclusions	28
National level	28
The importance of IPPC and the commitment to plant health activities	29
Wider considerations	29
Lessons learned	31
Lessons learned from case studies	31
Lessons learned from conducting this study	32
References	33
ISPMs cited	37
Annex 1	38



Preface

Since 2011, the Implementation Review Support and System (IRSS) project of the International Plant Protection Convention (IPPC) has focused on reviewing contracting parties' implementation of the Convention, international standards for phytosanitary measures (ISPMs) and recommendations made by the Commission on Phytosanitary Measures (CPM). This review work has largely focused on understanding contracting parties' implementation challenges, in order to assist the IPPC Secretariat to prioritize its work programme and enhance implementation. Over this period, contracting parties have come a long way in their improvement of implementation, and to recognize this the IRSS is for the first time undertaking a study to understand these successes: *Analyzing the benefits of implementing the IPPC*.

This study was commissioned by the CPM Bureau, to identify the benefits of implementing the IPPC at the national, regional and global level, while also considering benefits to various industries and sectors relating to plant health. The aspects to be considered were in relation to implementation of the Convention, ISPMs and CPM recommendations, in achieving the IPPC strategic objectives¹.

To undertake this study, IPPC Secretariat conducted a meeting of experts from the fields of plant health, trade, international economics and environmental protection to outline the scope of the study, explore options for assessment of implementation benefits and to collect relevant case studies and references. In addition to engaging a target group of experts, the study was discussed by the CPM Bureau and the IPPC Strategic Planning Group (SPG) at their October 2016 meetings, the e-Phyto Industry Advisory Group (IAG), the IPPC Standards Committee (SC), the Technical Consultation among Regional Plant Protection Organizations (TC-RPPOs) and the IPPC Capacity Development Committee (CDC).

The outcomes of this study are intended to highlight the value of implementation of the Convention, ISPMs and CPM recommendations to stakeholders and beneficiaries. The beneficiaries are considered members of the IPPC community, at the global, regional and national levels, who are involved in plant health implementation activities. The study will demonstrate benefits using a series of case studies.

1/ IPPC Strategic Framework 2012-2019. https://www.ippc.int/static/media/files/publications/en/2013/06/03/1344410402_ippc_strategicframework_e_w_201305101054en.pdf

Abbreviations and acronyms

AFM	Avocados From Mexico brand
AGP	Plant Production and Protection Division (of the FAO)
APEAM	Asociación de Productores y Empacadores Exportadores de Aguacate de México
APHIS	Animal and Plant Health Inspection Service (of the USDA)
BLG	Biodiversity Liaison Group
CABI	Centre for Agriculture and Biosciences International
CBD	Convention on Biological Diversity
CDC	Capacity Development Committee (of the IPPC)
CIHEAM	Centre International de Hautes Etudes Agronomiques Méditerranéennes
CPM	Commission on Phytosanitary Measures (of the IPPC)
EMPRES	Emergency Prevention System (of the FAO)
EU	European Union
FAO	Food and Agriculture Organization (of the United Nations)
GDP	Gross domestic product
IAEA	International Atomic Energy Agency
IAG	Independent Advisory Group
IAS	Invasive alien species
IRSS	Implementation Review Support and System (of the IPPC)
IPM	Integrated pest management
IPPC	International Plant Protection Convention
ISPM	International standard for phytosanitary measures
MHAIA	Mexican Hass Avocado Importers Association
MPI	Ministry for Primary Industries (of New Zealand)
NPPO	National plant protection organization
OCS	Online commenting system (of the IPPC)
OWP	Operational work programme
PCE	Phytosanitary Capacity Evaluation tool
PHEL	Plant Health and Environment Laboratory (of the MPI, New Zealand)
RDF	Remote Diagnostic Facility (of New Zealand)
REC	Regional economic committee
RPPO	Regional plant protection organization
SAGARPA	Secretaría de Agricultura, Ganadería, Desarrollo Rural, Pesca y Alimentación (of Mexico)
SC	Standards Committee (of the IPPC)
SDG	Sustainable development goal (of the United Nations)
SPG	Strategic Planning Group (of the IPPC)
SSC	South-South Cooperation Programme (of the FAO)

STDF	Standards and Trade Development Facility (of the WTO)
TC-RPPO	Technical consultation among Regional Plant Protection Organizations
TCP	Technical Cooperation Programme (of the FAO)
UN	United Nations
UNEP	United Nations Environment Programme
USDA	United States Department of Agriculture
WCO	World Customs Organizations
WPM	Wood packaging material
WTO	World Trade Organization
WTO-SPS	World Trade Organization Sanitary and Phytosanitary Agreement Committee

Introduction

The International Plant Protection Convention (IPPC) is an international plant health agreement with a vision of protecting global plant resources from pests. The IPPC mission, "To secure cooperation among nations in protecting global plant resources from the spread and introduction of pests of plants, in order to preserve food security, biodiversity and to facilitate trade", (IPPC, 2012a) is the shared responsibility of a membership of 183 contracting parties.

The mechanisms established by the IPPC for cooperation among contracting parties, standards development for procedural harmonization, information exchange, capacity development, legal and policy guidelines have all resulted in a very predictable, stable and reliable platform for international trade in plants, plant products and other regulated articles, and have also addressed domestic pest problems. The international standards for phytosanitary measures (ISPMs) have provided a basis for the application and harmonization of acceptable and technically justified measures applied in this international trade.

Contracting parties' implementation of the IPPC and its ISPMs responds to national priorities as well as international obligations, and carries with it responsibilities and obligations. In the context of international trade and principles applied, the protection of plant resources also translates into major benefits nationally, regionally and internationally. These benefits may be classified broadly as economic, trade facilitation, food security and environmental.

The IPPC as an international treaty recognized by, and working hand in glove with, the World Trade Organization (WTO), to confer on its contracting parties obvious benefits that relate to the promotion and facilitation of safe international trade. Increasing agricultural production and exports is recognized as a critical path for economic development for many countries in which agriculture contributes significantly to the national gross domestic product (GDP).

Many countries grapple with the issue of food security, which is constantly threatened by pest introduction and spread. Increased food security is an obvious expectation from the vision and mission of the IPPC. It is also a specific focus in the strategic objectives of the Food and Agriculture Organization (FAO) and the United Nations sustainable development goals (UN SDGs).

The strengthened relationships between the IPPC and environmental agencies, such as the Convention on Biological Diversity (CBD), bring into sharp focus environmental concerns to be addressed jointly in fulfilling their mandates. ISPMs and CPM recommendations now reflect greater consideration for environmental issues. Additionally, measures that are decidedly more environmentally sound are being promoted and applied in order to preserve the environment and its biodiversity.

This study attempts to explore the benefits of the implementation of the IPPC, with particular emphasis on effects seen at the national level.

IPPC vision and mission statements

The vision of the IPPC is:
Protecting global plant resources from pests.

The mission of the IPPC is:
To secure cooperation among nations in protecting global plant resources from the spread and introduction of pests of plants, in order to preserve food security, biodiversity and to facilitate trade.

Benefits

The nature of benefits

A benefit can be described as a positive effect of implementing activities within an IPPC mandated phytosanitary system. Benefits can be realized on different time scales, from having an immediate effect, to contributing to a long-term, bigger-picture good. They can also vary in scale spatially, with positive effects being realized at a sub-national, national, regional or global level. Benefits can both have bottom-up and top-down effects, dependent on their temporal and spatial nature. Benefits can have wider flow on effects at different levels. Within the spatial dimension, benefits vary from sub-national, to national, regional and global implementation. They can also vary within and between the strategic

frameworks that IPPC operates and contributes to – the IPPC Strategic Framework (IPPC, 2012), the FAO Strategic Framework (FAO, 2013) and the UN Sustainable Development Goals (UN, 2015) (Figure 1).

The inter-connectedness of levels of benefits provides a basis for their sustainability. However, for a benefit to be sustainable it requires continued investment, which starts with commitment at the national level to provide inputs, usually in the form of resources, into implementation activities to achieve a desirable impact. This doesn't mean that sustainability relies on financial resources. It means that participants at the national level have both the capacity and the will to implement the IPPC, ISPMs and CPM recommendations, and continually seek ways to increase their efficiency through

Figure 1: Visual representation of the interconnectedness of the levels of benefits



Figure 2: The logic chain for achieving implementation benefits



innovation and use of new technologies and techniques. The logic of this chain of events is represented in Figure 2.

Generally, the realization of benefits is considered from an economic perspective using quantitative analysis. However, there are many wider benefits that are less tangible and can be measured qualitatively. This study will look at various categories of benefits in relation to implementation of the Convention, ISPMs and CPM recommendations. The relationship between categories of benefits and contracting party implementation can be found in Annex 1.

Categories of benefits
<ul style="list-style-type: none"> • Global protection of plant resources • International cooperation • Trade facilitation and economic development • Environmental protection • Food security

IPPC beneficiaries

In the context of this study the beneficiaries are those included in the IPPC Community (Figure 3) and further defined with sub-groups belonging to each community group (Table 1).

The IPPC Community groups can be further defined by sub-groups belonging to each group in Table 1. Particular attention is paid to the national level, represented to the IPPC as the contracting party. It is at this level that key phytosanitary activities are implemented, by a wide range of national stakeholders. Oversight of a national phytosanitary system is the responsibility of the NPPO, the official organization of the contracting party. Official NPPO activities are sometimes delegated to authorized service providers and many activities are undertaken by participants from the value supply chain, who are the day-to-day implementers of the provisions of the Convention, ISPMs and aspects of CPM recommendations. These participants include, but are not limited to, producers, retailers, processors, marketers, importers and exporters.

Figure 3: Beneficiaries of the IPPC Community




Table 1: IPPC Community groups and sub-groups

Regional level	National level (contracting party)	Affiliated international organizations ²	Collaborative international organizations ³
RPPOs	NPPOs	UN	Technical-related: <ul style="list-style-type: none"> • IAEA • CABI • CIHEAM
RECs	Plant health practitioners	FAO	Trade-related: <ul style="list-style-type: none"> • WTO-SPS • WCO
	Authorized service providers	WTO	Environmental related: <ul style="list-style-type: none"> • CBD • BLG • UNEP
	Value supply chain participants: <ul style="list-style-type: none"> • producers • retailers • processors • marketers • importers • exporters 		Resource-related: <ul style="list-style-type: none"> • STDF • EC • International development banks
	Consumers		FAO-related: <ul style="list-style-type: none"> • AGP • EMPRES • FAO regional and sub-regional offices
	Research institutions		
	Academia		

The importance of implementation capacity

Especially important is the capacity of a contracting party to implement the Convention, ISPMs and CPM recommendations. The national phytosanitary capacity of a contracting party is defined by the IPPC as: "The ability of individuals, organizations and systems of a country to perform functions effectively and sustainably in order to protect plants and plant products from pests and to facilitate trade, in accordance with the IPPC" (IPPC, 2012b). The IPPC Capacity Development Strategy highlights sustainability factors that include but are not limited to:

- ◆ An enabling environment in countries such as policies that allow plant health activities to evolve and adapt to changing circumstance
- ◆ Plant health legislation that empowers NPPOs to function
- ◆ Visibility and understanding of the IPPC
- ◆ Understanding of the importance of implementation
- ◆ Viable business plan(s) for protecting plant health and trade, and
- ◆ National commitment to sustain phytosanitary capacity.

2/ Acronyms include: UN (United Nations); FAO (Food and Agriculture Organization of the UN); WTO (World Trade Organization).

3/ Acronyms include: IAEA (International Atomic Energy Agency); CABI (Centre for Agriculture and Biosciences International); CIHEAM (Centre International de Hautes Etudes Agronomiques Méditerranéennes); WTO-SPS (World Trade Organization Sanitary and Phytosanitary Agreement Committee); WCO (World Customs Organizations); CBD (Convention on Biological Diversity); BLG (Biodiversity Liaison Group); UNEP (United Nations Environment Programme); STDF (Standards and Trade Development Facility); EU (European Union); AGP (Plant Protection and Protection Diversion of the FAO); EMPRES (Emergency Prevention System of the FAO).

What are the benefits of being an IPPC contracting party?

Contracting parties to the IPPC ('the Convention') accept both rights and obligations specified therein, and from adherence to the Convention they derive a variety of benefits. These include being part of an international trade agreement, being able to contribute to the international standards setting process, being able to request technical assistance, and having mechanisms for dispute resolution and information exchange. The IPPC provides a platform for contracting parties to establish and operate their phytosanitary systems, with the purpose of facilitating safe international trade. Adherence to the IPPC increases the credibility of national phytosanitary systems for trading partners and provides opportunities for interaction within the IPPC community and other international fora.

The benefits relating to international trade include consistency between the IPPC obligations and the WTO SPS agreement (WTO, 1994), of which the majority of trading partners are also WTO members, providing opportunities for interaction with the IPPC community through the WTO-SPS committee.

As of 2017, IPPC has 183 contracting parties

Likewise the annual meetings of CPM and other subsidiary bodies provide an opportunity for active involvement

in decision making processes, thus contributing to global phytosanitary policy and adoption of international standards, directly contributing to the processes of global harmonization.

Where contracting parties see the need, they also aid their fellow contracting parties in implementation of the Convention. This is often seen in the form of technical assistance through capacity building and projects to strengthen plant protection, assistance with reviewing and updating legislation and the coordination of availability of expertise. Such cooperation for technical assistance is actively promoted through the CPM and can be coordinated by the IPPC Secretariat or on a bilateral or multilateral basis.

Services and mechanisms to facilitate plant health activities provide contracting parties a way

to work through their implementation challenges, which often include working to resolve informal disputes and exchanging information in the effort of cooperation. As such, the IPPC includes a provision for dispute settlement, for instances in which there are unjustified barriers to trade and dialogue between two parties needs facilitation in seeking a mutually beneficial and agreeable resolution. To be a transparent trading partner to the IPPC, there is the necessity for the publication and exchange of official information, for which an online platform is provided to contracting parties – the International Phytosanitary Portal (the IPP). The IPP provides a wealth of information that is easily accessible to contracting parties, including contracting party profiles and the names of their official contact points, news of IPPC activities, notifications of opportunities for involvement in technical meetings and direct access to international standards and related information, all in a neutral forum.

Other tools are available for use, including the Phytosanitary Capacity Evaluation (PCE) tool and the Online Commenting System (OCS) to submit comments on draft international standards during consultation. Additionally, to help facilitate the exchange of information during the phytosanitary export certification process, an online system is being developed, called the e-Phyto solution, which will allow contracting parties to exchange phytosanitary certificates in a secure environment.

To further promote the implementation of the Convention, contracting parties and the IPPC community have access to technical resources developed by the IPPC Secretariat in conjunction with international experts and resources contributed by external providers that have been reviewed for consistency with the Convention and international standards. Such resources are available on the IPPC Phytosanitary Resources website and include guides and manuals on various aspects of phytosanitary systems and operations, e-learning modules, resources for advocacy such as photos and fact sheets, and a roster of consultants who can provide expert assistance.

The benefits that can be realized through contracting party implementation of the Convention, ISPMs and CPM recommendations are varied and

may be direct or have flow on or wider benefits at the national, regional and global levels. In any case, the benefits of implementation significantly outweigh the costs of not implementing the Convention. The realization of this comes from the old adage – prevention is better than cure!

Why do we need a Convention and international standards?

IPPC aims to protect cultivated and wild plants by preventing the introduction and spread of pests. To do this the Convention sets out a way for contracting parties to undertake actions to prevent the spread and introduction of pests of plants and plant products, using appropriate measures for their control. In addition to plants and plant products, the Convention also provides coverage of storage spaces, packaging, conveyances, containers, soil and any other organism, object or material capable of harboring or spreading plant pests (FAO, 1997).

With respect to protecting plant resources, the IPPC contributes to:

- ◆ protecting farmers and foresters from the introduction and spread of new pests
- ◆ protecting food security
- ◆ protecting the natural environment, plant species and diversity, and
- ◆ protecting producers and consumers from costs associated with combating and eradicating pests.

So, why implement the IPPC?

A world without protection of global plant resources would surely be a very risky (with a lack of protective measures) or restrictive place (with prohibitions or too many measures). The IPPC provides a framework for the development and application of harmonized phytosanitary measures and the coordination of global plant health activities. Through promotion of international cooperation, and the provision of a set of international standards, contracting parties have access to a level playing field upon which to safely trade in plants and plant products.

International standards for phytosanitary measures (ISPMs)

The intention of international standards is to harmonize phytosanitary measures for the purpose of facilitating safe international trade. ISPMs cover a wide range of activities, which include but are not limited to, surveillance, pest risk analysis, the establishment of pest free areas, export certification, phytosanitary certificates and pest reporting. Additionally, IPPC has responded to the need to harmonize phytosanitary treatments and diagnostic protocols as annexes of ISPMs. To ensure global applicability, the IPPC Standards Committee oversees the development of ISPMs, which are then adopted by contracting parties at the annual CPM meeting.

The availability of ISPMs is a significant benefit to contracting parties, as it allows them access to a set of globally harmonized standards that are the basis for phytosanitary measures, and their associated activities, to be applied in international trade. This provides contracting parties with certainty and credibility in the establishment and management of their phytosanitary systems.

Through appropriate implementation of ISPMs, contracting parties benefit from strengthened phytosanitary systems and contribute to the IPPC strategic objectives of sustainable agriculture and global food security, protection of the environment, forests and biodiversity, economic and trade development, and enhanced national phytosanitary capacity.

The phytosanitary principles of protecting plant resources

At the highest level, principles for the protection of plants are embodied in the Convention, as outlined in ISPM 1 (*Phytosanitary principles for the protection of plants and the application of phytosanitary measures in international trade*). These principles cover the protection of plants (both cultivated and wild, on land or in aquatic environments), the application of measures for the international movement of plant resources, conveyances and people and the way these relate to the objectives of the IPPC. The principles provide the basis from which to establish and maintain an effective phytosanitary system, reflecting the provisions of the SPS

Surveillance

Contracting parties should collect and record data on pest occurrence and absence to support phytosanitary certification and the technical justification of their phytosanitary measures. The IPPC stipulates: "Contracting parties shall, to the best of their ability, conduct surveillance for pests and develop and maintain adequate information on pest status in order to support categorization of pests, and for the development of appropriate phytosanitary measures."

Relevant articles in the IPPC:
IV.2(b), IV.2(e) and VII.2(j).

Relevant ISPMs:
ISPM 6 (*Guidelines for surveillance*) and ISPM 8 (*Determination of pest status in an area*).

for associated pests and the conduct of pest risk analysis. These operational principles are core to the establishment, implementation, monitoring and official administration of phytosanitary systems.

The importance of plant pest surveillance

A foundation activity of a well-functioning phytosanitary system is the surveillance of plant resources for associated pests. At the national level, plant pest surveillance is a primary function of an NPPO, the outputs of which are general surveillance and specific surveys used for many purposes. Surveillance information and data allow NPPOs to develop lists of regulated pests, determine pest status in an area and categorize pests. All these activities enable the conduct of pest risk analysis. The importance of surveillance to contracting parties is understood, with the implementation of ISPM 6 (*Guidelines for surveillance*), considered to be the highest priority for implementation of any of the ISPMs (IPPC, 2014a). Likewise, the IPPC Secretariat has acknowledged the importance of surveillance, which is the focus of a pilot project to enhance contracting party implementation⁴.

Agreement and the rights and obligations of the Convention.

Two of the key elements in operating a phytosanitary system, to which other activities are interconnected, include surveillance of plant resources

General surveillance supports pest status determination in Australia

At CPM 11 in 2016, Australia gave a presentation about its general surveillance framework and how it is used to determine pest status at a state and federal level. The Australian General Surveillance Framework was developed to better define general surveillance and to improve the level of confidence that a pest is present. The approach can also be used to determine that a pest is absent. This is in accordance consistent with ISPM 8 (*Determination of pest status in an area*), which states that 'reliable records' (which can be general or specific surveillance) should be used to determine presence. Within this framework are two broad categories of interconnected elements relating to the biosecurity system and pest and host specific biosecurity components.

The comprehensive General Surveillance Framework includes the aspects below (Table 2) within each of the two main categories of elements. These closely align with the requirements of ISPM 6 (*Guidelines for surveillance*), regarding general surveillance and specific survey systems.

To demonstrate the effectiveness of the framework, it was tested using four case study pests to evaluate if general surveillance could be used to declare the absent status of pests, in alignment with ISPM 8. Four plant pests that are absent now, and have never been recorded or were established and are no longer present in Australia, were used for case studies: citrus canker (*Xanthomonas citri* subsp. *citri*), khapra beetle (*Trogoderma granarium*), onion smut (*Urocystis cepulae*) and Asian papaya fruit fly (*Bactrocera papayae*).

4/ https://www.ippc.int/static/media/files/publication/2015/03/03/CPM_2015_23_Rev_02_IPPC_Implementation_IRSS_update_2015-03-03.pdf (last accessed 4 June 2017). https://www.ippc.int/static/media/files/publication/en/2016/01/15_CPM_April_2015_Implementation_pilot_surveillance-2016-01-12_rXulCt9.pdf (last accessed 4 June 2017).



**Table 2: Elements of the Australian General Surveillance Framework**

Biosecurity system elements	Pest and/or host specific elements
<p>Effective quarantine measures in place to minimize the risk of introduction of the pest</p> <ul style="list-style-type: none"> Provides confidence that the likelihood of the pest entering Australia or a region within the country is very low <p>Legislative regulations in place that mandate reporting and official control of the pest if detected</p> <ul style="list-style-type: none"> Provides confidence that general surveillance activities will result in the pest being reported and controlled if detected <p>Reporting system in place (e.g. Plant Pest Hotline)</p> <ul style="list-style-type: none"> Provides confidence that a pest will be reported to relevant authorities if detected using general surveillance <p>Awareness raising processes for the pest are directed at relevant stakeholders or community groups</p> <ul style="list-style-type: none"> Provides confidence that identifiers and collectors have information to detect and report the pest <p>Pest is included in national, regional or industry priority pest lists</p> <ul style="list-style-type: none"> Provides confidence that relevant stakeholder groups are aware of the significance of the pest <p>Surveillance activities are recorded and are able to be retrieved by relevant government authorities</p> <ul style="list-style-type: none"> Includes recording of data within repositories such as regional or national databases <p>Diagnostic expertise and tools are available to identify the pest</p> <ul style="list-style-type: none"> Provides the ability to identify a pest or its symptoms 	<p>Pest biology and ecology are well documented</p> <ul style="list-style-type: none"> Provides confidence that sufficient knowledge is available to detect the pest (how, when and where) <p>The pest or its symptoms can be readily detected</p> <ul style="list-style-type: none"> Provides confidence that the pest or its symptoms can be detected visually, especially by less specialized identifiers and collectors <p>Absence of a suitable host or climatic conditions for spread and establishment of the pest</p> <ul style="list-style-type: none"> Provides confidence that the likelihood of the pest becoming established in Australia or a region within the country is very low <p>Training programs are available for pest detection and monitoring</p> <ul style="list-style-type: none"> Provides confidence that potential identifiers and collectors have sufficient expertise to detect and report the pest <p>Plant health monitoring that directly targets the hosts</p> <ul style="list-style-type: none"> Provides confidence that unusual pests or symptoms will be detected by individuals undertaking plant health monitoring who have expert knowledge of the pest

The case studies determined that the framework would be sufficient to determine pest status, but should be supported by specific surveys where it is used to claim pest free status during an emergency response or other situations that are guided by international standards, such as ISPM 4 (Requirements for the establishment of pest free areas), official control as defined in ISPM 5 (*Glossary of phytosanitary terms*), ISPM 22 (*Requirements for the establishment of areas of low pest prevalence*) and ISPM 9 (*Guidelines for pest eradication programmes*). Additionally, the threshold of evidence required may vary depending on the pest in question and the requirements of the potential trading partner. Where a threshold is set above that which is described in ISPM 8 by a potential trading partner, scientific justification in alignment with the WTO SPS Agreement is necessary, and will inform the surveillance method.

Australia is now using the General Surveillance Framework as the basis for its general surveillance activities.

The use of surveillance systems comprising both general and specific surveys has allowed Australia to understand its phytosanitary situation in relation to pest presence or absence, distribution and prevalence. This information feeds into many components of Australia's biosecurity system at the state and federal levels, facilitating trade and allowing resources to be allocated where pest control efforts are most needed.

Pest risk analysis

NPPOs should, when performing pest risk analysis, base it on biological or other scientific and economic evidence, following the relevant ISPMs. In doing this, threats to biodiversity resulting from effects on plants should also be taken into account.

Relevant Articles in the IPPC:
Preamble, II, IV.2(f) and VII.2(g)

Relevant ISPMs:
ISPM 2 (*Framework for pest risk analysis*), ISPM 5 (*Glossary of phytosanitary terms*, including Supplement 2: *Guidelines on the understanding of "potential economic importance" and related terms including reference to environmental considerations*), ISPM 11 (*Pest risk analysis for quarantine pests*) and ISPM 21 (*Pest risk analysis for regulated non quarantine pests*).

Understanding risk and selection of technically justified measures

To effectively protect a territory, be it a whole or part of a country or several countries, it is necessary to understand the pest risk associated with trade pathways of plant resources. Having a pest risk analysis (PRA) framework allows a contracting party to undertake pest risk assessments and make technically justified risk management decisions, as outlined in ISPM 2 (*Framework for pest risk analysis*) and ISPM 11 (*Pest risk analysis for quarantine pests*).

Vietnam's successful application of the PRA process

Vietnam became a contracting party to the IPPC in 2005. Since then, it has successfully negotiated market access – through the exchange of technical information, pest risk analysis and selection of technically justified phytosanitary measures – with eight other countries for 16 commodities (Table 3).

By following the pest risk analysis process, Vietnam has been able to develop technical market access documents, identify and select appropriate phytosanitary measures, and effectively communicate with trading partners.

Table 3: Summary of Vietnamese commodities that successfully gained access to new markets (2007–2016)

Country	Commodities
Australia	<ul style="list-style-type: none"> • Mango (<i>Mangifera indica</i>) • Lychee (<i>Litchi chinensis</i>)
Chile	<ul style="list-style-type: none"> • Dragon fruit (<i>Hylocereus undatus</i>) • Lychee (<i>Litchi chinensis</i>)
Japan	<ul style="list-style-type: none"> • Dragon fruit (<i>Hylocereus undatus</i>) • Mango (<i>Mangifera indica</i>)
Korea	<ul style="list-style-type: none"> • Dragon fruit (<i>Hylocereus undatus</i>) • Mango (<i>Mangifera indica</i>)
New Zealand	<ul style="list-style-type: none"> • Dragon fruit (<i>Hylocereus undatus</i>) • Mango (<i>Mangifera indica</i>)
Peru	<ul style="list-style-type: none"> • Cashew nut (<i>Anacardium occidentale</i>)
Taiwan	<ul style="list-style-type: none"> • Dragon fruit (<i>Hylocereus undatus</i>)
United States of America	<ul style="list-style-type: none"> • Dragon fruit (<i>Hylocereus undatus</i>) • Longan (<i>Dimocarpus longan</i>) • Lychee (<i>Litchi chinensis</i>) • Rambutan (<i>Nephilium lappaceum</i>)

Why is international cooperation beneficial to contracting parties?

An important goal of the IPPC is “to secure common and effective action”, which includes efforts to harmonize approaches, build capacity and share information. Contracting parties to the IPPC benefit greatly from such international cooperation.

To facilitate international cooperation, the Convention sets out five main points, which are specified in Articles VIII and XX and summarized below (FAO, 1997).

- ◆ **To exchange** information on plant pests, including the reporting of occurrence, outbreak or spread of pests that may be of immediate or potential danger to other contracting parties.
- ◆ **To participate** in special campaigns for combatting pests that seriously threaten crop production and that require international action to meet emergency needs.
- ◆ **To cooperate** in providing technical and biological information for pest risk analyses.
- ◆ **To designate** a contact point for the exchange of information relevant to the implementation of the Convention.
- ◆ **To promote** the provision of technical assistance to contracting parties, especially those that are from developing countries, with the objective of facilitating the implementation of this Convention.

Exchanging information

Information exchange is one of the major obligations of the Convention, as it is a primary driver facilitating international cooperation. Most of the IPPC Community will know of information exchange in relation to national reporting obligations (NROs), for which certain information is required to be reported to the IPPC Secretariat. Exchanging information has benefits on several levels. For the reporting contracting party, the gathering of information will convey a national awareness of the country's own phytosanitary situation. Other contracting parties can also benefit by reading or using the information exchanged, such as for pest risk analysis or

phytosanitary risk management decisions. RPPOs may also use this information for awareness and tracking of phytosanitary emergencies or trends in their regions. And the IPPC Secretariat can gain an understanding of the implementation needs of contracting parties.

Vietnam–Taiwan information exchange to maintain trade in dragon fruit

In 2008 Vietnam was advised by the NPPO of Taiwan that a fruit fly was determined to be associated with fresh dragon fruit (*Hylocereus undatus*) and imports were banned from Vietnam and some other countries.

After receiving this notification, the two countries' NPPOs had several meetings to review scientific evidence of Vietnam's fruit fly management programme. The NPPO of Taiwan was able to perform a pest risk analysis and a risk management decision was made to use vapour heat treatment as a phytosanitary measure for exports of dragon fruit from Vietnam.

Easy access to official contact point information

An obligation under the Convention specifies that each contracting party will designate an official contact point for the exchange of information connected with the implementation of this Convention (FAO, 1997). The role of each contracting party contact point is essential for the effective communication and information exchange between contracting parties, between the IPPC Secretariat and contracting parties and sometimes between contracting parties and RPPOs. The role of the official contact point was further formalized in the form a CPM recommendation, providing guidance as to the required competencies and functions of the role (CPM, 2006).

Addressing specific pest issues

When a plant pest threatens the territory of one contracting party, it can often be a risk to others with which it shares borders or is connected to through trade pathways in the same geographical

region. Such circumstances require cooperative actions to protect plant resources. These are referred to as 'special campaigns' for combatting pests (FAO, 1997). The benefit of coordinating plant pest control is that resource requirements of actions are shared among contracting parties. These requirements include costs, equipment, human resources and the good will among countries.

Cooperation in monitoring fruit flies at the China-Vietnam border area

Trade activities between Vietnam and China have increased rapidly in recent years, especially in the trade of fresh produce. Associated with this trade is the risk of fruit fly introduction, which is considered to be very high in the two countries' long, shared border.

To manage the risk of fruit fly introduction, the NPPOs of Vietnam and China developed and agreed to a cooperation programme for monitoring fruit flies along the border in 2014. According to this programme, both NPPOs have established specified fruit fly monitoring points and diagnostics, and share results of any detections or incursions.

To manage this joint monitoring and information exchange initiative, technical representatives from both countries meet once a year to discuss results, contributing to the development of an atlas about fruit flies for reference purposes.

The joint initiative is an example of how international cooperation can protect plant resources from pests, maintain trade pathways and foster goodwill between countries.

Technical and other assistance

Contracting parties often assist each other to help implement the Convention by providing financial and technical support. This kind of international cooperation benefits both benefactor and recipient contracting parties, as assistance of this kind contributes to the main aim of protecting global plant resources from pests, through the movement of international trade.

The EU – a cornerstone of IPPC support

The European Union has provided strong support to the IPPC and its contracting parties since 2003. Of particular importance, implementation of the Convention and its standards was identified as an area in which contracting parties, particularly from developing countries, required support. This resulted in the EU generously supporting the IPPC Implementation Review and Support System (IRSS).

The IRSS has been supported on a project basis by the EU since 2011, with the objectives of identifying contracting party implementation challenges and successes and providing input into ways that implementation can be supported.

However, the support of the EU goes beyond the IRSS. The EU provides opportunities for developing countries to participate in activities such as the IPPC Standard Setting programme and the annual Commission on Phytosanitary Measures meeting. The EU has also facilitated assistance with regional workshops on draft international standards and Expert Working Groups. More recently, the EU has made a commitment to providing support to the IPPC for the development of capacity and improved implementation.

EU support for contracting party participation in IPPC meetings and activities ensures that increased technical expertise is developed at a national level. This allows contracting parties to better understand how to efficiently maximize their participation and input in IPPC activities, and provides greater transparency for the IPPC work programme.

The Republic of Korea – support to Southeast Asia

The Republic of Korea has been and continues to be a crucial driver of Asian regional and international support, such as funding support to FAO Technical Cooperation Programme projects, hosting and facilitation of workshops, symposia and trainings, and most recently the generous support to host the CPM 12 meeting.

The Republic of Korea provides an example of how a contracting party can champion plant protection to obtain mutual benefits. These activities include national capacity development, information sharing, and regional and international coordination and harmonization.

China support through the FAO South-South Cooperation (SSC) Programme

The Peoples' Republic of China has committed to providing support to the FAO under the Framework for the South-South Cooperation (SSC) Programme, which in turn has contributed significant funding to the IPPC for strengthening the capacity of developing contracting parties to implement the Convention.

China's efforts are concentrated in the 'One Belt, One Road' geographic area and will result in inter-regional support to a number of contracting parties. Opportunities include the exchange of resources, technologies, innovations and knowledge among developing countries to help build sustainable food systems and enhance their capacities to improve the livelihoods of their residents.


How implementing the IPPC facilitates trade and economic development

Trade is an important driver of the economic prosperity of countries. Through the implementation of international standards, contracting parties have established, managed and strengthened their phytosanitary systems and positioned themselves to

take advantage of new trade opportunities when they arise.

Since the first IPPC international standard was adopted in 1993, world trade (in value terms) has increased dramatically, as shown in Figure 4 (WTO, 2016). International standards provide guidelines on essential phytosanitary activities that facilitate safe trade among countries in an internationally harmonized manner.

Figure 4: The economic value of trade increasing greatly since the development of ISPMs.



The economics of trade facilitation is often considered as an investment-return or cost-benefit scenario, in which investing in a phytosanitary system (and capacity of the components thereof) provides


returns in the form of prevention of pest incursions and an ability to respond to emergency scenarios in an effective and efficient way.

Australia's investment in biosecurity

In an environment of constrained and finite resources, governments need to prioritize investment to maximize return from a biosecurity risk perspective. The Australian Government places a strong emphasis on preventing the establishment of serious pests or diseases because this generally provides a significantly higher return on the investment of public funds, compared with managing that pest or disease in perpetuity after it becomes established.

The generalized biosecurity invasion curve (Figure 5) outlines the changing role (including funding) of governments and stakeholders. Actions in response to pests and diseases change from prevention, eradication and containment to asset-based protection. The 'return on investment' of public funds generally declines when progressing along the invasion curve. For example, governments have a greater responsibility in the earlier stages of prevention and eradication, whereas those best placed to protect assets (public or private) from established pests and diseases are generally the owners of those assets. The environmental and production costs of inaction are high. While it is possible to determine the economic cost in terms of adverse effects on production, at present there is no generally agreed-upon model to measure the ecological cost of exotic pests and diseases in economic terms (Australian Government, 2014).

Figure 5: Generalized invasion curve showing economic returns on biosecurity investment (Department of Economic Development, Jobs, Transport and Resources, 2009)





Australia's Biosecurity Cost-Benefit Analysis initiative

To ensure national consistency and transparency, benefit-cost analysis (BCA) has been used to improve efficiency and timeliness of management decisions on biosecurity investments. The approach looks at alternative management options that could be used in biosecurity situations and reports on results to decision making bodies.

As an example, the BCA approach was used to look at the eradication of exotic fruit fly species in the Torres Strait area of Australia, under the Long-term Containment Strategy for Exotic Fruit Flies in Torres Strait (Queensland Government, 1996–2014). The strategy was established following the 1995 Oriental papaya fruit fly incursion in northern Queensland that cost AU\$34 million (Australian dollars) to eradicate over a four year period. The loss associated with the ban on international trade to overseas countries was estimated to be AU\$100 million (Cantrell, 2002). This analysis shows that the potential cost of an incursion ranges between AU\$442.9 million and AU\$3.3 billion. The benefit:cost ratio ranges from 63:1 to 339:1 depending on the probability of successful eradication, with producers' losses ranging from AU\$269 million to AU\$2.1 billion.

Implementation of the strategy, at a cost of AU\$200 000 per year, has since prevented incursions of exotic fruit flies through the Torres Strait onto mainland Australia. The benefits far outweigh the response costs, such as those associated with the 1995 incursion (Australian Government, 2013). If the strategy were to cease it is predicted, based on technical advice and trapping data, that an incursion on the Australian mainland would occur within 12 to 18 months.

The economic and social benefits of the Mexican avocado industry


Background

The Mexican Hass avocado (*Persea americana*) industry began exporting to the United States of America in 1993, when a longstanding prohibition on the exportation of avocados was lifted, allowing exports into the state of Alaska. To extend this market access a comprehensive pest risk analysis, in accordance with ISPM 2 (*Framework for pest risk analysis*), and corresponding risk mitigation analysis were undertaken. This examined the proposed approach offered by Mexico and augmented by the United States Department of Agriculture (USDA) for risk reduction of each mitigation measure in the system (Miller et al., 1995; Jang & Moffitt, 1996). In 1997, this groundbreaking and controversial 'systems approach' allowed the avocado trade to expand to 19 Northeastern states during winter months. Restrictions on the period of import – based on seasonal contrasts between origin and destination, combined with other risk mitigation measures within a systems approach – were agreed upon as the means to prevent establishment of regulated pests in the import country (USDA APHIS, 1995 a and b).

To expand market access to the United States, several pest risk analyses were conducted by the Animal and Plant Health Inspection Service (APHIS) of the USDA, to gradually permit imports to more states with less restrictive measures. The appropriate selection of the measures to manage regulated pests of concern within the systems approach has proven effective, with no target pests intercepted since the start of the export programme. This result is due to the hard work of United States and Mexican government officials, Mexican growers, packers and shippers, and other participants. Through several iterations of import rules, exports are now allowed to all parts of the United States, including the island state of Hawaii and the island territory of Puerto Rico, from all Mexican states, under a year-round systems approach (Federal Register, 2016). However, a final operational work plan (OWP) is yet to be agreed upon for all Mexican export states.

Under the current OWP, the revised systems approach includes requirements for orchard certification, trace-back labeling, pre-harvest orchard surveys, orchard sanitation, post-harvest safeguards, fruit cutting and





inspection at the packinghouse, port-of-arrival inspection and clearance activities (including additional fruit cutting). These activities are required for importation of fresh avocado from all approved areas of Mexico to manage risk of regulated pests of concern (APHIS, 2015). Negotiations continue between the Mexican Government and APHIS regarding the pathway pest list and associated measures, based on outcomes of the most recent PRA and the best scientific evidence available.

Associated IPPC activities

The Mexican avocado export pathway to the USA clearly demonstrates the importance of implementing the Convention and its standards. Use of the IPPC principles, as outlined in ISPM 1 (*Phytosanitary principles for the protection of plants and the application of phytosanitary measures in international trade*) have facilitated the negotiation of market access. The principles of necessity, managed risk, minimal impact, transparency, technical justification, cooperation and particularly modification, provide the basis for both countries to work towards favorable safe trade outcomes.

Other best practices of the Mexican avocado industry in implementing international standards include pest risk analyses in accordance with ISPM 2 and ISPM 11, pest surveillance in accordance with ISPM 6, application of a systems approach to manage regulated pest risk in accordance with ISPM 14 (*The use of integrated measures in a systems approach for pest risk management*), export certification in accordance with ISPM 12 (*Phytosanitary certificates*), and import verification processes in accordance with ISPM 20 (*Guidelines for a phytosanitary import regulatory system*) and ISPM 23 (*Guidelines for inspection*). The effectiveness of the Mexican phytosanitary system is demonstrated by the country's highly compliant trade history of export of avocados to the United States.

A coordinated approach


The Mexican avocado industry is coordinated by the Asociación de Productores y Empacadores Exportadores de Aguacate de México (APEAM A.C.), the Mexican Hass Avocado Importers Association (MHAIA), and their public interface, the Avocados From Mexico (AFM) brand. With the story of their success as fascinating as it is incredible (AFM, 2016), APEAM is dedicated to ensuring avocados produced by Mexico are of superior quality and are exported with minimal phytosanitary risk through meticulously following the export programme. In addition to phytosanitary and quality responsibilities, APEAM invests in a reforestation programme in Mexico designed to promote a healthy environment. As of 2015, Mexican imports now represent 82 percent of United States avocado consumption, compared with 11 percent in 1990 (USDA, 2015). This significant increase in avocado trade is known as the great Mexican avocado boom.

The strong relationship APEAM shares with the Mexican national plant protection organization (NPPO) – the Secretaría de Agricultura, Ganadería, Desarrollo Rural, Pesca y Alimentación (SAGARPA), provides an established contact point for engagement between the two organizations. This provides the Mexican avocado industry (growers, packers, exporters) a collective voice for communication of phytosanitary and other compliance conditions to ensure their product meets all necessary requirements for trading. Similarly, this coordination helps minimize challenges that can occur through the supply chain (Coronado et al., 2015). This representation also provides the industry a collective basis to negotiate with the United States when it is necessary to make changes to the pathway phytosanitary measures. This approach provides negotiation at a state and national level to ensure their interests are represented.

Related benefits

The benefits of the highly compliant trade in avocados exports from Mexico to the United States are far reaching, going beyond the traditionally expected economic benefits of trade. The benefits include plant protection, international cooperation, economic development, environmental protection and social aspects to both countries.

Environmental awareness and efforts to promote long term sustainability are key considerations of the Mexican avocado industry, as seen in a reforestation initiative overseen by APEAM (AFM, 2016). With





increasing avocado production in the Mexican state of Michoacán, 500 000 pine trees were planted in the past several years, with 280 000 more planned in 2017 and 320 000 in 2018. This example of responsible production and natural rehabilitation provides benefits to the environment and to thousands of small farm owners and workers (TPN, 2016).

The social benefits of the Mexican avocado export pathway to the United States has expanded food opportunity and choice (seasonable availability), which has increased consumer demand in the import country for a commodity that is seen as a good nutritional choice (Huang, 2013). Traditionally, avocados were available only for a limited season, sourced from domestic production. However, since the opening of the Mexican market, United States consumers are used to – and demand – year-round availability of avocados. This, in turn, has resulted in increased avocado production in the United States (as well as Mexico), instead of being a threat to domestic producers (FABA, 2016). The popular avocado based dip guacamole even featured in a Super Bowl advertisement in 2015, emphasizing how engrained the avocado now is in the American psyche, being an always-available ingredient on menus (Polis, 2012).

The economic growth that has resulted from the trade in Mexican avocados to the United States has benefited both countries by stimulating growth along the value chain (FABA, 2016). The rate of import volume has increased dramatically since the export programme commenced, which in turn has generated economic growth and job creation in the United States through various market activities, such as transport services, marketing, wholesale trade, retail trade, infrastructure and manufacturing. Industry analysis using 2013 and 2015 data yields overwhelming evidence that avocado imports have an economically positive effect on the economy of the United States and its component states (FABA, 2014 and 2016). In 2015 the exports of avocados valued at US\$1.5 billion added a cumulative value of US\$3.5 billion in economic output to the United States economy, US\$2.2 billion in GDP, US\$1.2 billion in labor income, US\$594 million in taxes, and 18 695 jobs – thus increasing economic growth and improving the standard of living in both countries (FABA, 2016).

The history of trade negotiations, risk management decisions and modifications is a clear example of how international cooperation benefits two trading partners. Through cooperation and implementation of the Convention and its standards, Mexico and the United States share the benefits of safe trade in avocados and have the peace of mind that there is minimal risk associated with the pathway.

Lessons learned

- Implementing the Convention and its standards provides a basis for the coordinated and effective application of phytosanitary measures.
- The coordinated industry approach through representation by APEAM gives a collective voice when negotiating phytosanitary requirements and policy between the two governments.
- Trade can produce many kinds of benefits – not just economic, but also social and environmental effects.
- Imports lead to economic growth and improved standards of living in both exporting and importing countries.

The economic benefits of using internationally harmonized phytosanitary measures

Investing in plant protection activities and strengthening phytosanitary systems protects plant resources from pests, and it also reduces costs when emergency situations occur. Certain ISPMs have been developed to harmonize measures for specific pest risk management scenarios, including area pest freedom, use of integrated systems approaches and application of treatments for wood packaging material.

Wood packaging material (WPM) is used world-wide in international trade. Depending on the goods transported, WPM comes in a variety of forms, including pallets, boxes or dunnage used in containers, ships and aircrafts. However, associated with WPM is the risk of forest pests that can infest raw wood, e.g. Asian longhorn beetle (*Anoplophora glabripennis*) and pinewood nematode (*Bursaphelenchus xylophilus*).

To manage the risk of such pests, ISPM 15 (*Regulation of wood packaging material in international trade*) was developed. This standard is an excellent example of how NPPOs and forest industries can work together to manage risk associated with WPM. Through implementing ISPM 15 and compliantly applying the treatment symbol (Figure 6), parties involved in international trade can have confidence that the forest sector is being protected.

Figure 6: An example of ISPM 15 symbol



Implementation of ISPM 15, the value of sustained exports and growth

The use of harmonized phytosanitary measures for wood packaging material (WPM) as outlined in ISPM 15, provides guidelines and technical specifications that reduce risk of introduction and spread of quarantine pests associated with WPM made from raw wood.

To analyze the regulatory affects that implementation of ISPM 15 has on the economies of a group of countries (Botswana, Cameroon, Kenya and Mozambique), Papayrakis and Tascotti have conducted a study to look at the value of exports and imports in the past 15 years. The study looked at many aspects and includes multiple objectives:

- Perform a cost-benefit analysis of ISPM 15 implementation using statistical models to identify trade patterns across various sectors.
- Review procedures, legislation and other controls in place for ISPM 15 implementation and associated challenges.
- Evaluate benefits and losses generated by ISPM 15 implementation, and the associated spread of these benefits among stakeholders.
- Raise awareness of ISPM 15 implementation in the participating countries, and advise them on appropriate procedures for effective and cost-efficient implementation.
- Present these results to other countries to help them with ISPM 15 implementation.

The research team used qualitative information collected through interviews, micro data gathered during structured surveys directed at WPM treatment facilities and macro data on trade flows (across all sectors) between the participating countries and their trading partners.

The study involved a range of stakeholders within the countries, including NPPOs, government ministries (including customs), WPM facilities, local manufacturers, exporters and importers.

The macro data revealed that across 120 sectors of both exports and imports there is an increase in trade volume following the implementation of ISPM 15. An interesting policy outcome from this data was that sectors with poorer implementation of ISPM 15 benefited the least in economic growth.

One lesson learned from this study is that effective implementation of ISPM 15 has an economic benefit across many sectors. However, for this to be achieved, NPPOs need to work in close collaboration with treatment facilities to ensure appropriate treatment and certification of WPM. There is also a need for awareness raising, so that other stakeholders understand the importance of the risks associated with WPM.

The use of area freedom to facilitate trade

The development of ISPMs for pest free areas (PFA), pest free production sites (PFPS) and pest free places of production (PFPP), as well as areas of low pest prevalence (ALPP), have provided tremendous opportunities and boosted exports from otherwise infested countries, to be traded with global acceptance when in conformity with the international standards.

How is the environment protected as a result of IPPC related activities?

Under Article IV of the Convention, contracting parties are required, to the best of their ability, to protect habitat and endangered areas (IPPC, 1997). As such, a strategic objective of the IPPC is the protection of the environment, forests and biodiversity from plant pests (IPPC, 2012a). The protection of the environment and prevention of biodiversity loss is closely linked to the protection of plant resources. This is true in a wide variety of biomes, including

endangered areas (often the home to natural flora) as well as forests (both indigenous and commercial).

The framework of the IPPC – including the Convention, the IPPC Strategic Framework, ISPMs and CPM recommendations – thus provides for the protection of the environment. Additionally, the IPPC cooperates with other international organizations for the protection of the environment and biodiversity.

IPPC's link to CBD in protecting the environment

The IPPC environmental strategic objective is closely related to the mandate of the Convention on Biological Diversity (CBD) to reduce the direct pressures on biodiversity and promote sustainable use. Specifically the CBD Aichi Target 9 seeks to identify, control, eradicate or have measures in place to manage pathways to prevent the introduction and establishment of invasive alien species (IAS) ecosystems, habitats and other species (CBD, 2010). While the CBD addresses biodiversity and the environment in general, the IPPC specifically concentrates on IAS

Belize area freedom from Mediterranean fruit fly

Belize, through the support of the United States Department of Agriculture (USDA) established a Mediterranean fruit fly, or medfly (*Ceratitidis capitata*), surveillance programme in 1977. In 1987, in response to the first medfly detection in Belize, a ban on the export of medfly host commodities was put in place by the United States and steps had to be taken to re-establish area freedom. To reopen access, Belize, with technical assistance from the FAO, undertook a Technical Cooperation Programme project that established a comprehensive national surveillance programme for enhanced responsiveness and eradication actions when detections occur (IICA, 2011).

By following ISPM 4 (*Requirements for the establishment of pest free areas*) and ISPM 26 (*Establishment of pest free areas for fruit flies (Tephritidae)*), working closely with FAO through the TCP and engaging the USDA throughout the re-establishment and verification process, Belize was recognized by the United States as free from medfly in 2001, and was declared to be in a state of country freedom in 2007.

For Belize and surrounding region, the benefits obtained from the area freedom programme are economic, commercial and social. The direct economic benefit from establishing the area freedom programme has been calculated to be BZ\$140 (Belize dollars) for every dollar spent. To demonstrate the success of the medfly programme, export value of papayas rose from BZ\$12.7 million in 2000 to BZ\$21.3 million in 2008. Additional downstream benefits from implementing the programme include generation of jobs, foreign exchange earnings, positive effects on associated businesses and host commodity industries, and availability of domestic produce with minimal chemical residue.

In a commitment to maintain the medfly area freedom programme, Belize continues to invest substantial resources, establish regional alliances and implement new technologies such as geographic information systems to enhance the programme and seek new opportunities for market access for new host commodities.

The value of protecting biodiversity

The CBD has estimated that meeting Target 9 by 2020 will substantially reduce the economic cost of damage caused by IAS, calculated to be 2 percent to 5 percent of the world GDP or approximately US\$2.6 trillion to US\$6.5 trillion per annum (CBD High Level Panel, 2012). However, wider benefits are also expected from IAS management, including improvement to sector productivity, protection of biodiversity and the environment, job creation and alleviation of poverty (CBD High Level Panel, 2012).

that are pests of plants and provides guidance for protection against them (IPPC, 2012a). To facilitate the awareness of the risks associated with IAS and possible actions in relation to them, an ICPM recommendation was adopted (ICPM, 2005).

Although the mandates of the IPPC and CBD differ slightly in their protection of the environment, there are many synergies between the two conventions, which have been identified within the context of biodiversity-related Conventions, of which both are members. To enhance cooperation between the conventions, the Biodiversity Liaison Group was established to facilitate work. By identifying areas where IPPC and CBD can work together, such as in prevention of IAS movement and focusing on specific environmentally related trade issues such as trade in invasive aquatic plants and e-commerce pathways, both the IPPC and CBD can share the benefits gained from protecting the environment and biodiversity while using fewer of their Secretariat resources. To track the progress of environmental protection, the CBD has put in place indicators for each of their Aichi targets. For Target 9, the CBD has been able to calculate the economic and wider benefits of these practices.

Aquatic plants and the environment

Aquatic plants have traditionally been in the spotlight due to the invasive nature of some species that caused damage to either the environment or infrastructure such as dams and water stations. They have been considered to be IAS (under the CBD framework) and regulated pests (under the IPPC

framework). Examples of aquatic plants species that have had severe effects on the environment are the water hyacinth (*Eichhornia crassipes*) (Hill *et al.*, 2011), the diatom didymo (*Didymosphenia geminata*) (Bothwell *et al.*, 2009; Smith, 2011), among many others.

A study by the IRSS in 2012 (IPPC, 2012c), demonstrated the environment and economy both benefit from the protection of aquatic plants when farmed as commercial products and as wild endemic flora. Aquatic plants provide valuable ecosystem services. They are often the primary producers in food webs, provide stability to landforms in and near the water line, filter sediments and provide nutrients to the environment in the form of detritus (Madsen *et al.*, 2001). *Commercially farmed species such as seaweed, which as macro-algae are classified as aquatic plants, fall under the IPPC framework. In recent years that business has started to boom (UNU, 2016). Although seaweed is not a new human food source, its production has increased exponentially, along with that of other aquatic plants. In 2014 the world aquaculture production was calculated to be US\$5.6 trillion (FAO, 2016).*

To facilitate the protection of aquatic plants, or the management of aquatic plants that are considered to be regulated pests, a CPM recommendation was adopted (CPM, 2014). The CPM **affirmed** that aquatic plants should be protected, and invasive aquatic plants considered potential pests to be managed under the IPPC framework.

Ultimately, the protection of natural populations of freshwater and marine plants will ensure their continued ecosystem services and sustain their natural environment and ecosystem benefits. To quantify the benefit of this protection: It is estimated that globally ecosystems provide on average US\$33 trillion worth of services annually (Costanza *et al.*, 1997). These estimates highlight the importance of conserving these ecosystems and the services they provide to global human welfare (Costanza *et al.*, 1997).

Protection of endangered areas such as forests

Forests are diverse ecosystems composed of many forms of life. They provide a variety of valuable outputs and benefits. Of particular note is the stability a forest provides to the environment and to ecosystem services. Forests contribute to moderating climate change through the absorption of carbon, combat desertification, protect water reservoirs, maintain biodiversity and preserve cultural and social values (FAO, 2011).

The IPPC's designation of responsibilities to NPPOs has paved the way for coordinated action against forest pests through strengthened collaboration between forestry divisions and NPPOs. This ensures adequate and effective safeguards against quarantine pests and management of pest problems consistent with the IPPC.

Due to the long-term production cycles of commercially grown trees, foresters use a range of control approaches to reduce the risk of pest problems. Risk management measures can be applied throughout the production process, from planting to management of maturing forests and then to harvest. When at least two independent measures are used to reduce the risk of pests, this forms the basis of a

systems approach as outlined in ISPM 14 (*The use of integrated measures in a systems approach for pest risk management*). By using a systems approach, trees can be grown and harvested with minimal pest infestation and damage. This protects forest production nationally, as well as in other countries that receive forestry export commodities. Pest free forest commodities also receive higher prices because of their higher level of quality.

Protection of endangered areas has benefits for agro-tourism, aesthetic value, protection of biodiversity and economic value from the domestic and international trade in forest commodities.

A shift towards 'green' pest management

An increasing trend by contracting parties is the move towards pest management that is more environmentally friendly. Pest management that is targeted to specific pest issues benefits the environment and human health, and reduces the need for secondary pest management. In common terms, this approach has been called 'green pest management', often using the principles of integrated pest management (IPM). Within a plant health regulatory system this can take the form of a systems approach, as outlined in ISPM 14.

China's use of green pest management through research and development

An essential element of implementing the Convention (Article IV) is research and investigation in the field of plant protection, to seek new, more efficient and environmentally friendly ways to protect plant resources. China has been undertaking research in green pest management for several years, focusing on strategies, tactics and technologies that employ non-chemical practices to minimize pesticide use and reduce environmental damage.

The shift toward green pest management has been supported by the China Ministry of Agriculture, which issued a decree calling for zero increase in pesticide use while pursuing an intensification of crop production through 2020. This change would take chemical use to the level it was at the turn of the 21st century. To achieve this, the ministry initiated significant research and development. Topics included the use of softer chemicals with more efficient and targeted application, increased extension services to farmers and cooperatives, the use of cultural control methods (e.g. crop rotation, deep ploughing, pest nets and crop sanitation), ecological engineering to increase biodiversity, use of bio-pesticides (e.g. based on bacteria, fungi and viruses), the release of natural enemies for pest population controls and the protection of natural enemy environments to favor their lifecycles.

To facilitate the use of green pest management, China has established an extension framework to bridge the gap between research and practical pest management application. This includes the promotion of non-chemical control methods, natural biological processes and cultural techniques in crop production.

Environmental disruption caused by overuse of pesticides that were intended to control the pink hibiscus mealybug

The pink hibiscus mealybug (PHM – *Maconellicoccus hirsutus*), native to the Eastern Hemisphere, first arrived in Grenada in the Caribbean in 1994, and later spread to Guyana in South America, 14 other Caribbean countries and eventually to the continental United States of America. A serious pest of many commercial and domestic plants, the PHM is, caused significance economic damage to cropping systems, posed a biodiversity threat to native flora and forest plants and caused aesthetic damage to ornamentals (CABI, 2017).

However, the environmental damage was indirectly caused by pesticide application in the initial control effort. While it controlled the pest for short periods, this effort resulted in disruption to natural enemies in the associated environments, causing secondary pest problems, contamination of food and water, and risks to human health (IFAS, 2014).

The overuse of pesticides used to be a common occurrence. However, it is now widely accepted by the agricultural industry that pest control needs to target a specific pest to be most effective. By understanding the biology and ecology of the PHM, scientists were able to determine the natural enemies that would be most effective for control, which were subsequently released in biological control programmes (IFAS, 2014; IPS, 1998).

Losses in Grenada to crops and the environment were estimated to be US\$3.5 million annually before biological controls were put in place. In addition, this problem caused serious loss of access to markets into other Caribbean countries due to prohibition of host commodities (Francois, 1996; Peters & Watson, 1999). The implementation of the subsequent biological control programme, costing US\$1.1 million, far outweighs the impact to crop loss and environmental damage (Kairo et al., 2000).

Another shift towards using more environmentally friendly pest control methods, which has international support, is the reduction in the use of the fumigant methyl bromide. IPPC, with other international organizations, recognizes the Montreal Protocol (UNEP, 1992) and encourages its contracting parties to replace or reduce the use of methyl bromide. This request was formalized as a CPM recommendation, promoting use of alternative phytosanitary measures (CPM, 2008).

How does implementing the IPPC contribute to food security?

A safe and secure supply of food is essential for the health and well-being of the world's population. With increasing populations, the sustainability of agriculture plays a vital role in providing the staple foods that countries rely on. To address the need for sustainable agriculture, it is necessary to use more land and implement more efficient production systems, new technologies, research into pest controls,

diagnostics, treatments and food storage practices that reduce waste.

At the core of food security are strengthened national regulatory systems of export certification, import regulation and pest surveillance. The associated ISPMs provide critical guidance, to importing and producing countries alike, in preventing the introduction and spread of pests that threaten plant resources and food security.

Although the above are essential for working towards food security, developing countries often need aid when faced with challenges such as civil unrest, natural disasters and pest emergencies. An essential element in promoting food security is developing the capacity of countries to respond to challenges to safeguard the food supply.

Definition of food security

"World Food Security exists when all people, at all times, have physical, [social] and economic access to sufficient, safe and nutritious food to meet their dietary needs and food preferences for an active and healthy life."

(World Food Summit, 1996.)

The importance of wheat imports to Egypt for the production of baladi bread

When a country relies on a commodity for food security, it is essential to maintain stability of the industry that produces the food staple domestically, or the trade pathway from which it is imported. In Egypt, baladi bread is a staple that is of cultural significance and central to the typical diet of the country's inhabitants. The wheat from which the bread is made is both grown domestically and imported.

The domestic wheat industry provides an important contribution to the baladi bread supply. But this is supplemented by import. A quarter of Egyptians live under the poverty line, so the wheat sector is of strategic importance. This has resulted in a strong involvement of the state at all levels of the wheat value chain, and has been a central aspect of the country's social policies. Egypt has become the world's biggest wheat importer and has developed a programme to decrease waste and corruption in this sector of the economy (FAO, 2015).

Like most crops, Egyptian wheat comes with the risk of pests, such as the fungus ergot (*Claviceps purpurea*) and the *Ambrosia* species weed seeds. To manage the risk of these regulated pests and ensure security of the baladi bread programme, the Egyptian public and private sectors worked with the Food and Agriculture Organization (FAO), which provided technical assistance, and support from the European Bank for Reconstruction and Development (EBRD).

Through a collaborative approach, a full review of the wheat sector was undertaken with the objective of helping policy makers and investors achieve more efficient and inclusive agricultural and food systems (FAO, 2015). Weaknesses in the sector were identified through the analysis of wheat production, consumption, trade, storage, milling and wheat policy. The most important outcome from the analysis, to secure industry productivity and sustainability and the country's food supply, was determined to be the involvement of the private sector.

By working together, the Egyptian public-sector agencies and the private sector, with assistance from the FAO, were able to ensure that the domestic wheat industry was managed efficiently and that the wheat import pathway appropriately managed pest risk in a way that was technically justified.

To respond to food demand, crop production needs to continue to increase. FAO has estimated that global agriculture output, based on 2009 data, needs to increase by 70 percent to adequately feed the projected world population in 2050 (FAO, 2012). Thus crop production research and development, technical assistance programmes and the

management of new and emerging pest situations are essential.

Contingency planning and response capability

Part of being able to effectively manage agriculture is having contingency plans for new and emerging

Contingency planning by the UK Department of Environment Food & Rural Affairs

The United Kingdom Department of Environment Food & Rural Affairs (DEFRA) prioritizes the protection of the nation against plant health and other natural threats. Under the Plant Biosecurity Strategy for Great Britain, there is a strong commitment to develop contingency plans to help eradicate pest outbreaks or minimize them when they occur (DEFRA, 2014). Protection of plant resources is a priority for the United Kingdom, as cereals, fruits and vegetables are vital to the food supply, economy and protection of biodiversity.

By having contingency plans specific to plant pests of concern to the United Kingdom, coordinated responses can be launched in an efficient manner. The contingency plans outline how the plant health service of the United Kingdom will respond to outbreaks, and includes emergency measures that are required to manage plant health (DEFRA, 2016).

pest situations that allow for efficient response activities when required. Contingency planning allows not only for protection of food crops, but also for the economic and food security associated with yields. Contingency planning has been identified as a responsibility of regional plant protection organizations, especially in regard to regional pests of significance to agricultural food and animal feed crops. However, NPPOs should also put their own contingency plans in place to allow for appropriate pest responses, in accordance with ISPM 9: *Guidelines for pest eradication programmes*.

Diagnostics identify the specific problems

Diagnostics are fundamental to technically justified (science-based) phytosanitary measures. They ensure the accurate identification and reporting of pests, a process that feeds into many phytosanitary system activities (CPM, 2016). However, it should


be noted that while many NPPOs have their own diagnostic facilities to operate, others can outsource this service.

In acknowledgement of the importance of pest diagnosis, a recommendation was adopted by CPM 11 (CPM, 2016). The recommendation states that diagnoses should be undertaken quickly, and performed to a high level of confidence, to ensure safe trade. However, it also recognizes that many contracting parties need support with access to facilities and assistance with the growing trend of reduced expertise in the areas of taxonomy and classical identification skills.

In addition to the CPM recommendation, the Technical Panel on Diagnostic Protocols (of the IPPC Standards Committee) has produced annexes to ISPM 27 (*Diagnostic protocols for regulated pests*) for specific pest species or group of pest species of significance to international trade. According to

Figure 7: The range of phytosanitary activities that pest diagnoses support (IPPC, 2016c)

Pest diagnosis is a cross-cutting activity that underpins the implementation of the IPPC



Interview with Ruth Woode, IPPC Standards Committee member from Ghana (IPPC, 2016a)

How does the international movement of grain affect food security?

The international movement of grains has brought 'exotic' pests to my part of the world. The larger grain borer (*Prostephanus truncatus*) is an example of one of these pests, which has spread over long distances and has established itself in the African continent. This has negative impacts on food security and is a serious threat to stored maize and dried cassava chips, which are major staple foodstuffs.

How would this standard benefit importing and exporting countries?

The proposed standard would identify and describe specific phytosanitary measures that could help to reduce pest risks prior to export, during transfer, on arrival and during handling and processing. Exporting and importing countries would benefit from such guidance on harmonized approaches for managing pest risks associated with the international movement of grain.

New Zealand's Remote Diagnostic Facility (RDF)

The New Zealand Ministry for Primary Industries' (MPI) Plant Health and Environment Laboratory (PHEL) coordinates a facility to remotely identify potentially hazardous organisms. The Remote Diagnostic Facility (RDF) is currently accessible by Fiji, Samoa, Solomon Islands, Tonga, Tuvalu and Vanuatu. To facilitate this service a New Zealand Aid Programme project, *Enhancement of biosecurity and quarantine services in the Pacific*, was initiated. The initiative focused on improving Pacific countries' access to diagnostic services to manage risk of their import and export pathways, particularly risks associated with trade in fresh produce (MFAT, 2013).

ISPM 27, each diagnostic protocol provides the necessary information for the accurate identification of the pests:

Diagnostic protocols contain the minimum requirements for reliable diagnosis of the specified regulated pests and provide flexibility to ensure that methods are appropriate for use in the full range of circumstances. The methods included in diagnostic protocols are selected on the basis of their sensitivity, specificity and reproducibility, and information related to these factors is provided for each of these methods.

An example of how contracting parties assist each other to enhance diagnostic capabilities is the establishment of remote microscopy services.

The end benefit to having a robust phytosanitary system that returns efficient and accurate pest diagnoses is an understanding of the national pest situation. This in turn allows producers and small-holder farmers to improve their crop yields and get better prices for their commodities, leading to sustainable agriculture and food security.

How do IPPC tools and technical resources benefit contracting parties?

Contracting parties of the IPPC have the benefit of access to a range of tools and technical resources to help them implement the Convention and ISPMs. The IPPC Secretariat continually evaluates the implementation needs of contracting parties and works to develop tools and resources to facilitate implementation.

Phytosanitary Capacity Evaluation tool

The Phytosanitary Capacity Evaluation (PCE) tool was developed by the IPPC Secretariat as a tool for use by countries to self-assess their capacity to implement the Convention and the application of ISPMs. The use of the PCE by many countries has demonstrated that it is a valuable tool that allows countries to establish their own national strategic plans and priorities for phytosanitary capacity development.

The PCE is part of a change process that is already in progress. The PCE also acts as a learning exercise for the NPPO in terms of information sharing and awareness raising, two important components of cooperation and knowledge management.

A request made by any country for the application of the PCE indicates that there is already a predisposition for change, rather than the PCE being the direct cause of the change.

PCE in the Pacific Island Community

In 2012, 14 states in the Pacific Island Community (Solomon Islands, Tonga, Samoa, Tuvalu, Niue, Vanuatu, Papua New Guinea, Marshall Islands, Fiji, Palau, Cook Islands, Kiribati, Nauru, and the Federated States of Micronesia) completed national phytosanitary capacity evaluations as a result of the Standards and Trade Development Facility project "Capacity building in the use of the Phytosanitary Capacity Evaluation Tool in the Pacific". Support was provided by the Secretariat of the Pacific Community (SPC), and technical assistance was provided by the IPPC Secretariat.

The national evaluations of each country yielded similar results: NPPOs had relatively strong import controls, inspection and clearance procedures for imports, and were in a good position to take advantage of their geographic position to declare areas free of specific plant pests. However, the PCE results identified weaknesses with respect to legislative frameworks, limited export facilitation procedures and insufficient documentation of processes and procedures of the NPPO.

Based on the PCE results, the region formulated recommendations for next steps and priorities. In the future, the SPC and development partners will be able to use the baseline data generated through the PCE to assess improvement and progress towards goals, ensuring targeted capacity development in the region.

- review of the phytosanitary control systems for adequacy to provide a basis for further strengthening
- training of government personnel in ISPMs and contemporary phytosanitary procedures and practices.

Applying the PCE helped Estonia identify both strengths and gaps in its existing phytosanitary system, and has triggered several positive developments. In particular, the PCE outcomes resulted in the development of obligatory legislation for the NPPO in compliance with the IPPC, which helped Estonia to conclude an Association Agreement with the European Union to meet those requirements.

Strengthening Estonia's phytosanitary capabilities

Before Estonia's restoration to independence from Soviet Union occupation in 1991, it was a net producer and exporter of several products, and its food industry had a strong position. Afterwards, almost all agricultural and horticultural sectors have suffered a decrease in production by 20 to 60 percent, and in certain categories even 100 percent. One reason for this decrease was due to a liberal agricultural policy, which resulted in the abolishment of all border protection measures (e.g. import fees, seasonal import restrictions, etc.).

Since 1998, Estonia has made preparations to become a contracting party. However, the National Phytosanitary Service needed assistance to strengthen domestic phytosanitary capacity and capabilities for compliance with international obligations and new regional obligations as a member of the European Union (EU).

Working closely with Estonia's Ministry of Agriculture and the NPPO, FAO launched a Technical Cooperation Programme (TCP) project in 2002, "Strengthening of the national phytosanitary service of Estonia". The project involved:

- reviewing regulatory frameworks for phytosanitary measures using the IPPC Phytosanitary Capacity Evaluation tool
- drafting legislation or preparing drafting instructions for modernizing phytosanitary legislation for harmonization with EU and international requirements

The ePhyto solution

To assist countries in implementing the exchange of electronic phytosanitary certificates (ePhyto), the IPPC is undertaking a project to develop a standardized approach to security and method of exchange, code sets and message mapping to ensure that all

The development of an ePhyto hub may help give developing countries a fair chance to join in the electronic exchange of data at reduced cost.

countries are able to participate in electronic certification (IPPC, 2016b). The ePhyto solution will complement the requirements specified in ISPM 12 (*Phytosanitary certificates*).

The future ePhyto solution will provide contracting parties with a number of benefits in comparison with paper-based phytosanitary certification, to both exporting and importing countries (IPPC,

2014b). The solution will:

- ◆ reduce possibilities for fraudulent documentation
- ◆ reduce data entry and validation functions by NPPO staff
- ◆ improve security in transmission of certificate documentation
- ◆ improve planning for the arrival and clearance of plants and plant products at customs
- ◆ reduce delays in receiving replacement phytosanitary certificates
- ◆ maximize the investment by building on existing initiatives
- ◆ reduce ongoing and costly bilateral arrangements
- ◆ ability to link into the World Customs Organization 'One Window' initiative and harmonize codes and processes.

Interview with Nico Horn, chair of the IPPC ePhyto Steering Group (IPPC, 2016)

What is an electronic phytosanitary certificate (ePhyto)?

An ePhyto serves the same purpose as the old-fashioned paper equivalent: It attests that a consignment meets phytosanitary import requirements, which are established to prevent the movement of pests. Moving towards electronic-based, paper-free technology for the exchange of certificate information will facilitate trade even more.

How would the implementation of ePhyto benefit international trade?

The trade will become much quicker, allowing the exporting country to insert and share information almost in real time. It should also help reduce fraudulent certificates by using secure, direct exchange between national plant protection organizations.

The harmonized data format and content should make it easier to reuse the information for other purposes, and will help to ensure the information is more complete and correct.

Speeding up the certification processes and eliminating the expensive paper for certificates will help to make the process more cost effective.

The Online Commenting System (OCS)

In 2011 the IPPC developed the Online Commenting System (OCS) to provide contracting parties and other stakeholders with a system to comment on documents during member consultation on draft specifications and ISPMs.

Later reviewed in 2014 and updated to improve functionality and user-friendliness, the updated OCS, released in 2016, has resulted in member comments almost doubling since 2011. In a record-breaking consultation period in July 2016, which included the highest number of standards ever processed by the IPPC, a total of 84 official contact points provided more than 5 300 comments on 11 ISPMs.

The new Online Commenting System (OCS) released in 2016

Its mission is to provide a simple and efficient, user-friendly online system to insert, submit and compile comments on documents.

The OCS ensures confidentiality and safe submission of comments by IPPC official contact points. It implements a common commenting format, and facilitates inclusivity in the IPPC standard setting process through an efficient, user-friendly and accurate system. For the IPPC Secretariat, it accelerates and simplifies the compilation process while significantly reducing human error.

Comment from Brent Larson, the standards officer with the IPPC Secretariat

"Not only do we have the highest number of standards out for consultation in our history, but we also have a record number of stakeholders commenting – almost double last year's number".

The Implementation Review and Support System (IRSS) Helpdesk

The Implementation Review and Support System (IRSS) Helpdesk aims to provide support and assistance to contracting parties seeking help in the implementation of the Convention and ISPMs. General and specific help services are provided by way of a [Question and Answer Forum](#), a list of [Frequently Asked Questions \(FAQs\)](#) and links to the [Phytosanitary.info](#) webpage for further access to technical resources, country projects and activities and a consultant roster.

To improve the IRSS Helpdesk, the IPPC Secretariat conducted an analysis and found ways to enhance user experience and friendliness, access to content, organization and structure of features, and ease of navigation to (and within) the webpage and Helpdesk.

By having access to the IRSS Helpdesk, contracting parties have a resource they can use to contact the IPPC Secretariat to request assistance with their implementation issues and questions. Additionally, the many resources that the Helpdesk is linked to provide a wide range of information that can be used to allow NPPOs to work towards, manage or improve their phytosanitary systems.



Conclusions

The implementation of the IPPC, ISPMs and CPM recommendations provides contracting parties with a well-developed framework. However, it remains a contracting party's sovereign right to choose how it regulates its phytosanitary system (IPPC, 1997).

The range of benefits from implementation are wide and varied, and differ both spatially (e.g. sub-national, national, regional or global) and temporally (immediate, short and long term). In general, benefits can be realized in the following categories, although many other indirect or secondary benefits exist:

- ◆ Protection of global plant resources from pests
- ◆ International cooperation
- ◆ Food security and sustainable agriculture
- ◆ Environmental protection
- ◆ Trade facilitation and economic development
- ◆ Access to globally applicable resources, systems and tools.

Each contracting party will implement these steps based on its national phytosanitary capacity, capabilities and resources, which varies widely among regions and countries. To this end, there is not a one-size-fits-all solution for how best to establish, manage or improve a phytosanitary system. However, the IPPC goes a long way towards providing appropriate guidance for how to do so in a globally applicable way.

The conclusions from this small study regarding the benefits of implementing the IPPC are taken directly from individual case studies and collective common themes.

National level

Quite often it takes a negative event for awareness to be raised about the importance of establishing, managing and improving a national phytosanitary system. This usually occurs after a pest incursion, damage to the environment or instability in the availability of staple food crops. This highlights how important awareness is on a political level, and also at the public sector level, which are the ultimate beneficiaries. However, political will and support for plant health activities is essential at all times, not just in an emergency.

Through the implementation of the IPPC, phytosanitary capacity is enhanced, resulting in the NPPO functioning more effectively to achieve national objectives and priorities. Although the functions of an NPPO are numerous, the fundamental indicator of the success of a phytosanitary system is the frequency of pest interceptions at the border on imports, or a reduction in the number of new pest introductions.

As demonstrated in the majority of the case studies included in this study, when a contracting party and its NPPO invests resources in its phytosanitary system – whether financial, human or other aspects – it experiences a return on the investment in the form of a robust system that is able to manage risk, and respond efficiently and effectively when issues arise. The case study on the Australian biosecurity system shows how the country's NPPO quantified the benefits of engaging in prevention, as opposed to waiting for phytosanitary issues to arise.

However, it is not just the prevention of pest introductions that benefits contracting parties. It is also the protection of plant resources through implementation of the Convention, ISPMs and CPM recommendations. Economic benefits include improved yields, better prices for commodities and spinoff effects such as the creation of jobs in the agricultural sector and improved livelihoods for producers and

small farmers. Plant health is also closely linked to the protection of the environment, biodiversity, forestry and the facilitation of safe trade through the use of technically justified phytosanitary measures that are commensurate to risk.

What is obvious from the findings of this study is that the strength of a phytosanitary system and the associated activities are the responsibility of many stakeholders beyond the NPPO, including the private sector, research institutions and, to a certain extent, the public sector. Often public-private partnerships are established to ensure wider input and sharing responsibility. The more people who are involved, the greater the awareness and benefits to the IPPC community.

Hand in hand with increasing awareness of plant health is the need for research to explore new practices and technologies to improve crop yields, manage pest issues and facilitate trade. The shift towards more environmentally friendly agricultural practices, such as China's use of green pest management, demonstrates how countries can manage pests without disrupting ecosystems and biodiversity. There are now many alternatives to producing crops using traditional chemical methods, such as integrated pest management and systems approaches, particularly in forestry. The ePhyto system, providing a secure system for the exchange of phytosanitary certificates, will also facilitate safe trade.

The importance of IPPC and the commitment to plant health activities

The IPPC plays an important role in protecting global plant resources from pests, by providing a framework for contracting parties, RPPOs and other stakeholders to work together to manage robust phytosanitary systems. While a contracting party to the IPPC must fulfill certain obligations to the Convention within its territories, the success of protecting global plant resources also rests with others in the IPPC Community (Table 1).

Enhancement of phytosanitary capacity increases national resilience. However, the most important factor to note is that an investment in plant health needs to be continuous for both short- and long-term benefits to be realized. A robust, sustainable plant health system needs political will and national support, which comes through awareness raising and promoting the importance of the benefits of participation.

Equally important is the commitment by contracting parties to IPPC regional and global cooperation, either through the exchange of information or participation in IPPC activities. There are extensive opportunities to contracting parties to add to the global perspective and the greater good by contributing to the governance of the Convention, the development and review of ISPMs, capacity building, information exchange, dispute resolution and the work of various technical groups and panels.

But in reality, the investment in phytosanitary systems takes resources, which are often scarce in the plant health field, and take time and effort to obtain. The IPPC Secretariat has focused strongly on resource mobilization in recent years, for two reasons. First, sustainable funding is required to maintain the core activities of the IPPC Secretariat. Second, contracting parties, especially from developing countries, need assistance with gaining access to resources for technical assistance and capacity development.

Wider considerations

Some broader implications should be considered regarding the successes and challenges in contracting parties' pursuit of greater benefits. The IPPC has done extensive work on evaluating implementation under the IRSS project, with particular focus on key articles of the Convention and ISPMs. The analysis shows that a contracting party needs to retain a level of flexibility and adaptability to address emerging issues. To do this, NPPOs need national support, both politically and from wider stakeholder groups, which is a major weakness for many contracting parties.

To gain further support for contracting parties, and for successful implementation of the IPPC, ISPMs and CPM recommendations, broader outreach and awareness of the importance of maintaining plant health is essential. Although the IPPC community contains many stakeholders at the global, regional, national and subnational levels, not all of these groups are fully engaged. Often the highest awareness exists among those entities (e.g. NPPOs) and individuals (e.g. importers and exporters) that have direct input to, or association with, a phytosanitary system. However, it is essential that the message of protecting global plant resources be disseminated more widely, while maintaining relevance, effectiveness and efficiency. The IPPC Secretariat has refocused resources within the Integration and Support team to enhance IPPC communication and advocacy, and asks all contracting parties also to share information and promote plant health within their countries.

When contracting parties have the opportunity to review and improve their phytosanitary systems, legislation, policies and procedures, both existing and newly developed system should be designed to be more results oriented. Contracting parties can use the Phytosanitary Capacity Evaluation (PCE) tool, which identifies the successes and challenges within a phytosanitary system and outputs a plan

for improvement. The plan is developed as a logical framework that provides contracting parties with specific goals, objectives, activities, expected results and indicators of success. The PCE tool is of benefit to all contracting parties, regardless of a country's development status, political situation or resource availability. The IPPC Secretariat recommends that the PCE be applied periodically to help contracting parties understand their national situation and plan for continual improvement.

To practically implement the provisions of the Convention, ISPMs and CPM recommendations, NPPOs and other government ministries and departments need to lobby for national plant health support. To facilitate this, the IPPC Secretariat will be developing advocacy materials based on this study outlining the benefits of implementing the IPPC.

Lessons learned

The lessons learned from this study come from individual case studies and from the process undertaken to gather relevant information and identify and analyze benefits.

Lessons learned from case studies

The most relevant lessons learned from this study come from countries that demonstrate benefits gained by implementing the IPPC, ISPMs and CPM recommendations.

- ◆ Australia: Established a comprehensive surveillance framework to understand the national pest situation, which informs pest risk analyses and provides technical justification to phytosanitary measures.
- ◆ Belize: The application of the area freedom ISPMs and strong government and private sector commitment has facilitated market access in trade of medfly host commodities. It has reopened existing pathways and creating new opportunities for producers and traders. This has greatly benefited the country economically, commercially and socially.
- ◆ China: Uses green pest management, which reduces the use of agro-chemicals. This benefits the environment and produces healthier crops with less residue.
- ◆ European Union: A leader in international cooperation, it provides support to many developing countries around the world to participate in IPPC activities, and is the primary supporter of the Implementation Review and Support System, which reviews contracting parties' implementation challenges and successes.
- ◆ Republic of Korea: Provides strong regional support to the contracting parties in Asia to participate in IPPC activities, including for meetings and workshops. In 2017 it is hosting the 12th session of the Commission on Phytosanitary Measures.
- ◆ Vietnam: An excellent example of how far a country can come since becoming a contracting party to the IPPC, specifically through trade facilitation by using the IPPC pest risk analysis framework to gain access to new markets.
- ◆ Mexico: Demonstrates the power of the coordination of an industry to promote a commodity both domestically and within an importing country. Through the export of avocados to the United States, the Mexican avocado industry has received economic benefits, has created jobs in both countries and works to promote natural environmental processes through reforestation activities.
- ◆ New Zealand: Uses innovation in diagnostic technology to facilitate the domestic and regional identification of pests through a remote microscopy network. This initiative promotes international cooperation and facilitates trade through the efficient and accurate diagnosis of pests.
- ◆ Estonia: Has worked hard to improve national phytosanitary capacity through the application of the IPPC Phytosanitary Capacity Evaluation (PCE) tool. The results of the evaluation highlighted the strengths and gaps in the country's systems, and were used as a basis to develop new legislation to improve NPPO functions in alignment with the requirements of the European Union and the IPPC.

- ◆ United Kingdom: Has put in place comprehensive plant health contingency plans for pest incursions. Through development of both a general strategy and pest specific plans, there is transparency in the expectations of the NPPO and other stakeholders during response events, to ensure that activities are undertaken efficiently and effectively.

All lessons learned can be of use to contracting parties interested in making changes or improvements to their phytosanitary systems.

Lessons learned from conducting this study

This study is the first of its kind conducted by the IPPC Secretariat under the Implementation Review and Support System (IRSS). It is the first step in looking at the successes and benefits of contracting parties implementing the Convention, ISPMs and CPM recommendations, as opposed to implementation challenges, which have been the past focus.

The lessons learned from conducting to this study include:

- ◆ the IPPC Secretariat's difficulty in obtaining pertinent and supporting information for this study
- ◆ the absence or lack of information available on a regional and global level
- ◆ the difficulty with engaging private sector to access information
- ◆ the difficulty in assessing benefits, either quantitatively or qualitatively.

References

- AFM (Avocados From Mexico). 2016. Available at <http://avocadosfrommexico.com> (last accessed 4 June 2017).
- APHIS (Animal and Plant Health Inspection Service of the USDA). 2015. Foreign Quarantine Notices 7 CFR 319.56-30. Federal Register, Washington, D.C., USA. Available at <https://www.federalregister.gov/documents/2015/02/18/2015-03289/mexican-hass-avocado-import-program> (last accessed 4 June 2017).
- Australian Government. 2013. Benefit-cost analysis of the long term containment strategy for exotic fruit flies in the Torres Strait. Research by the Australian Bureau of Agricultural and Resource Economics and Sciences. Australian Government Department of Agriculture – ABARES. Canberra, ACT, Australia.
- Australian Government. 2014. Joint Submission from the Department of Agriculture and Department of the Environment to the Standing Committee on Environment and Communications References Committee's Inquiry into environmental biosecurity.
- Bothwell, M.L., Lynch, D.R., Wright, H. & Deniseger, J. 2009. On the boots of fisherman: the history of Didymo blooms on Vancouver Island, British Columbia. *Fisheries* 34:382–388.
- CABI (Centre for Agriculture and Biosciences International). 2017. Datasheet *Maconellicoccus hirsutus* (pink hibiscus mealybug). Available at <http://www.cabi.org/isc/datasheet/40171> (last accessed 4 June 2017).
- Cantrell, B, Chadwick, B and Cahill, A. 2002. *Fruit fly fighters, eradication of the papaya fruit fly, SCARM Report No. 81. CSIRO publishing, Collingwood, Victoria, Australia.*
- CBD (Convention on Biological Diversity). 2010. TARGET 9 – Technical Rationale extended (provided in document COP/10/INF/12/Rev.1). Available at <https://www.cbd.int/sp/targets/rationale/target-9> (last accessed 4 June 2017).
- Coronado, J. A., Bijman, J., Omta, O., Lansink, A. O. 2015. A case study of the Mexican avocado industry based on transaction costs and supply chain management practices. *Economía: teoría y práctica*, 42, 137–165.
- Costanza, R., d'Arge, R., de Groote, R., Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R.V., Paruelo, J., Raskin, R.G., Sutton, P. & van den Belt, M. 1997. The value of the world's ecosystem services and natural capital. *Nature*, 387:253–260.
- CPM (Commission on Phytosanitary Measures of the IPPC). 2006. The Role of IPPC Contact Points. CPM Recommendation CPM-1/2006. Available at <https://www.ippc.int/en/core-activities/governance/cpm/cpm-recommendations-1/cpm-recommendations/the-role-of-ippc-contact-points>
- CPM. 2014. IPPC Coverage of Aquatic Plants: CPM Recommendation CPM-9/2014/1. Available at https://www.ippc.int/static/media/files/publication/en/2017/04/R_04_En_2017-04-26_Combined_Ga7t6lx.pdf
- CPM. 2008. Replacement or reduction of the use of methyl bromide as a phytosanitary measure: CPM Recommendation CPM-3/2008. Available at https://www.ippc.int/static/media/files/publication/en/2017/04/R_03_En_2017-04-26_Combined.pdf
- CPM. 2016. Recommendations on the importance of pest diagnosis. CPM Recommendation CPM-11/2016. Available at https://www.ippc.int/static/media/files/publication/en/2017/04/R_07_En_2017-04-26_Combined_UdBd23X.pdf
- DEFRA (The United Kingdom Department for Environment Food & Rural Affairs.). 2014. Protecting Plant Health: A Plant Biosecurity Strategy for Great Britain, April 2014. Available at https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/307355/pb14168-plant-health-strategy.pdf (last accessed 4 June 2017).
- DEFRA. 2016. UK Plant Health Information Portal: Contingency planning. Available at <https://planthealthportal.defra.gov.uk/pests-and-diseases/contingency-planning> (last accessed 4 June 2017).

- Department of Economic Development, Jobs, Transport and Resources.** 2009. Protecting Victoria from pest animals and weeds. Generalized invasion curve showing actions appropriate to each stage. Victoria, Australia. Available at <http://agriculture.vic.gov.au/agriculture/pests-diseases-and-weeds/protecting-victoria-from-pest-animals-and-weeds> (last accessed 4 June 2017).
- FABA (Forecasting and Business Analytics, LLC).** 2014. *Economic Benefits of the Expansion of Avocado Imports from Mexico. Research Report to the Mexican Hass Avocado Import Association (MHAIA).* February 2014. Texas A&M University, TX, United States of America.
- FABA.** 2016. The U.S. National and State-Level Economic Benefits of Avocado Imports from Mexico. Research Report to the Asociación de Productores y Empacadores de Aguacate (APEAM, A.C.) and the Mexican Hass Avocado Import Association (MHAIA). August, 2016. *Forecasting and Business Analytics, LLC.* Texas A&M University, TX, United States of America.
- FAO (Food and Agriculture Organization of the United Nations).** 2011. Guide to implementation of phytosanitary standards in forestry. FAO Forestry Paper 164. FAO, Rome, Italy. Available at <http://www.fao.org/docrep/013/i2080e/i2080e.pdf> (last accessed 4 June 2017).
- FAO.** 2012. World Agriculture Towards 2030/2050: The 2012 Revision. ESA Working Paper No. 12-03, June 2012. Agriculture Development Economics Division, FAO. Available at <http://www.fao.org/docrep/016/ap106e/ap106e.pdf> (last accessed 4 June 2017).
- FAO.** 2013. FAO Strategic Framework, Rome, Italy. Available at <http://www.fao.org/docrep/018/mi317e/mi317e.pdf> (last accessed 4 June 2017).
- FAO.** 2015. Egypt Wheat Sector Review: Country Highlights. FAO Investment Centre. Available at <http://www.fao.org/3/a-i4898e.pdf> (last accessed 4 June 2017).
- FAO.** 2016. FAO Yearbook of Fishery and Aquaculture Statistics Summary tables. Fisheries and Aquaculture Department of the Food and Agriculture Organization of the United Nations. Available at <http://www.fao.org/fishery/statistics/global-aquaculture-production/en> (last accessed 4 June 2017).
- Francois, B.** 1996. Measuring the impact of mealybug infestation. Proceedings of the first symposium on the Hibiscus mealybug in the Caribbean, 24–27 June 1996, Grenada.
- Hill, M., Coetzee, J., Julien, M. & Center, T.** 2011. Water Hyacinth, pp. 689–692. In: *Encyclopedia of biological invasions* (Simberloff, D. and Rejmánek, M., eds.). Los Angeles, CA, USA, University of California Press. 765 p.
- HLP.** 2012. Resourcing the Aichi Biodiversity Targets: A First Assessment of the Resources Required for Implementing the Strategic Plan for Biodiversity 2011–2020. High-Level Panel on Global Assessment of Resources for Implementing the Strategic Plan for Biodiversity 2011–2020. Available at <http://www.cbd.int/doc/meetings/fn/hlpgar-sp-01/official/hlpgar-sp-01-01-report-en.pdf> (last accessed 4 June 2017).
- Huang, S.W.** 2013. Imports contribute to year-round fresh fruit availability. Report No. FTS-356-01, Economic Research Service, United States Department of Agriculture, Washington, D.C., USA. December 2013. Available at <http://www.ers.usda.gov/media/1252296/fts-356-01.pdf>
- ICPM (Interim Commission on Phytosanitary Measures).** 2005. Threats to Biodiversity posed by Alien Species: Actions within the Framework of the IPPC. ICPM-7/20051. Available at https://www.ippc.int/static/media/files/publication/en/2017/04/R_02_En_2017-04-26_Combined.pdf
- IICA (Inter-American Institution for Cooperation on Agriculture).** 2011. The Belize Medfly Programme. A Case Study on Maintaining a Medfly Surveillance and Eradication Programme. Available at <http://legacy.iica.int/Esp/Programas/Sanidad/Publicaciones%20de%20SAIA/B2138i.pdf> (last accessed 4 June 2017).
- IFAS (University of Florida Institute of Food and Agricultural Sciences).** 2014. Featured Creatures – Pink hibiscus mealybug (*Maconellicoccus hirsutus*). University of Florida Entomology & Nematology. Available at <http://entnemdept.ufl.edu/creatures/orn/mealybug/mealybug.htm> (last accessed 4 June 2017).
- IPS (Inter Press Service).** 1998. Development: Pink mealybug alert in Belize. Inter Press Service, Belmopan, Belize, 19 August 1998. Available at <http://www.ipsnews.net/1998/08/development-belize-pink-mealybug-alert-in-belize> (last accessed 4 June 2017).
- IPPC (International Plant Protection Convention).** 1997. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/publications/en/2013/06/06/1329129099_ippc_2011-12-01_reformatted.pdf (last accessed 4 June 2017).

- IPPC. 2012a. IPPC Strategic Framework 2012–2019. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/publications/en/2013/06/03/1344410402_ippc_strategicframework_e_w_201305101054en.pdf (last accessed 4 June 2017).
- IPPC. 2012b. IPPC National Phytosanitary Capacity Development Strategy. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/publications/en/2013/06/04/1359386736_02ippc_capacitydevelopment_e_201305101035en.pdf (last accessed 4 June 2017).
- IPPC. 2012c. Aquatic plants and their risks: A review of the global status of aquatic plants. Implementation Review and Support System of the IPPC. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/irss/2016/09/09/Aquatic_Plants_Their_Uses_and_Risks_A_review_of_the_global_status_of_aquatic_plants_8yCjM21.pdf (last accessed 4 June 2017).
- IPPC. 2014a. Findings of the general survey of the International Plant Protection Convention and its Standards. Survey results from October 2012 – February 2013. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/irss/2016/09/09/IRSS_IPPC_General_Survey_report_2014.pdf
- IPPC. 2014b. *ePhyto Factsheet #3*. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/publication/en/2016/06/Factsheet_3.pdf (last accessed 4 June 2017).
- IPPC. 2016a. *An Introduction to the IPPC Standard Setting Process*. IPPC Factsheet. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/publication/en/2016/12/Brochure_IntrotoIPPC-SSP_W.pdf (last accessed 4 June 2017).
- IPPC. 2016b. The global ePhyto solution. IPPC ePhyto Steering Group, v1.0 March 2016. Rome, IPPC, FAO. Available at https://www.ippc.int/static/media/files/publication/en/2016/03/Global_ePhyto_solution.pdf (last accessed 4 June 2017).
- IPPC. 2016c. *Guide to Delivering Phytosanitary Diagnostic Services*. Rome, IPPC, FAO. Available at http://www.phytosanitary.info/sites/phytosanitary.info/files/Diagnostics_manual_English_1.1.pdf (last accessed 4 June 2017).
- Jang, E. B. & Moffitt, H. R. 1994. *Systems approaches to achieving quarantine security*, pp. 225–239. In J. L. Sharp and G. J. Hallman (eds.), *Quarantine Treatments for Pests and Food Plants*. Westview, Boulder, CO, United States of America.
- Kairo M.T.K., Pollard G.V., Peterkin D.D. & Lopez V.F. 2000. Biological control of the hibiscus mealybug, *Maconellicoccus hirsutus* Green (Hemiptera: Pseudococcidae) in the Caribbean. *Integrated Pest Management Reviews*, 5(4):241–254.
- Madsen, J.D., Chambers, P.A., James, W.F., Koch, E.W. & Westlake, D.F. 2001. The interactions between water movement, sediment dynamics and submersed macrophytes. *Hydrobiologia* 444:71–84.
- MFAT (Ministry of Foreign Affairs and Trade of New Zealand). 2013. *Enhancement of biosecurity and quarantine services in the Pacific*. Wellington, New Zealand.
- Miller, C.E., Green, A.S., Harabin, V., & Stewart, R.D. 1995. *Risk management analysis: a systems approach for Mexican avocado*. May 1995. USDA, APHIS, Riverdale, MD, United States of America. Available at https://www.aphis.usda.gov/plant_health/ea/downloads/hass.pdf (last accessed 4 June 2017).
- Peters T. & Watson G.W. 1999. The biological control of Hibiscus mealybug in Grenada. In: Bell K., ed. *Paths to prosperity: science and technology in the Commonwealth 1999/2000*. London, UK, Kensington Publications, 130–132.
- Polis, C. 2012. Mexican Hass Avocado Industry Sees Huge Growth In American Market. *The Huffington Post*, June 18, 2012. Available at http://www.huffingtonpost.com/2012/06/18/americans-avocado-consumption_n_1593594.html (last accessed 4 June 2017).
- Queensland Government 1996–2014. *Long-term Containment Strategy for Exotic Fruit Flies in Torres Strait*. Not published.
- Smith, J.E. 2011. Algae, pp. 11–15. In: *Encyclopedia of biological invasions* (Simberloff, D. and Rejmánek, M., eds.). Los Angeles, CA, United States of America, University of California Press. 765 p.
- TPN (The Produce News). 2016. APEAM's reforestation program seeks to support long-term sustainability of Mexican avocado industry. 23 August 2016. Available at <http://www.producenews.com/the-produce-news-today-s-headlines/19555-apeam-s-reforestation-program-seeks-to-support-long-term-sustainability-of-mexican-avocado-industry> (last accessed 4 June 2017).

- UN (United Nations).** 2015. United Nations Sustainable Development Goals: 17 Goals to transform our world. Available at <http://www.un.org/sustainabledevelopment/sustainable-development-goals> (last accessed 4 June 2017).
- UNU (United Nations University).** 2016. Experts Warn Booming Seaweed Industry. News from United Nations University, 5 September 2016. Available at <http://www.sciencenewsline.com/news/2016090515570017.html> (last accessed 4 June 2017).
- USDA (United States Department of Agriculture).** 1995a. *Avocado pest risk assessment, addendum and review* (1995, 1996, 2001) Available at <http://www.aphis.usda.gov/ppq/avocados/#support> (last accessed 4 June 2017).
- USDA.** 1995b. *Risk Management Analysis: A Systems Approach for Mexican Avocados*. Available at <http://www.aphis.usda.gov/ppq/avocados/#support> (last accessed 4 June 2017).
- USDA.** 2015. *Fruit and Tree Nuts Yearbook*. Economic Research Service, United States Department of Agriculture (USDA). November. Available at <http://www.ers.usda.gov/data-products/fruitand-tree-nut-data/yearbook-tables.aspx> (last accessed 4 June 2017).
- World Food Summit.** 1996. Declaration on World Food Security, Rome, Italy.
- WTO (World Trade Organization).** 2016. *World Trade Organization, time series. Global, total merchandise trade*. Available at <http://stat.wto.org/StatisticalProgram/WSDBStatProgramHome.aspx?Language=E> (last accessed 4 June 2017).
- WTO.** 1994. The World Trade Organization (WTO) Agreement on the Application of Sanitary and Phytosanitary Measures. Geneva, WTO. Available at https://www.wto.org/english/docs_e/legal_e/15-sps.pdf

ISPMs cited

ISPMs are available on the International Phytosanitary Portal (IPP) at <https://www.ippc.int/core-activities/standards-setting/ispm> (last accessed 4 June 2017).

- ISPM 1. *Phytosanitary principles for the protection of plants and the application of phytosanitary measures in international trade*
- ISPM 2. *Framework for pest risk analysis*
- ISPM 4. *Requirements for the establishment of pest free areas*
- ISPM 5. *Glossary of phytosanitary terms*
- ISPM 6. *Guidelines for surveillance*
- ISPM 7. *Phytosanitary certification system*
- ISPM 8. *Determination of pest status in an area*
- ISPM 9. *Guidelines for pest eradication programmes*
- ISPM 10. *Requirements for the establishment of pest free places of production and pest free production sites*
- ISPM 11. *Pest risk analysis for quarantine pests*
- ISPM 12. *Phytosanitary certificates*
- ISPM 14. (2016) *The use of integrated measures in a systems approach for pest risk management*
- ISPM 15. *Regulation of wood packaging material in international trade*
- ISPM 18. *Guidelines for the use of irradiation as a phytosanitary measure*
- ISPM 20. *Guidelines for a phytosanitary import regulatory system*
- ISPM 21. *Pest risk analysis for regulated non quarantine pests*
- ISPM 22. *Requirements for the establishment of areas of low pest prevalence*
- ISPM 23. *Guidelines for inspection*
- ISPM 25. *Consignments in transit*
- ISPM 26. *Establishment of pest free areas for fruit flies (Tephritidae)*
- ISPM 27. *Diagnostic protocols for regulated pests*
- ISPM 28. *Phytosanitary treatments for regulated pests*
- ISPM 29. *Recognition of pest free areas and areas of low pest prevalence*
- ISPM 30. *Establishment of areas of low pest prevalence for fruit flies (Tephritidae)*

Annex 1

The relationships among categories of benefits and contracting party implementation

IPPC activities and coordination	Benefits				
	Protection of global plant resources	International cooperation	Food security and sustainable agriculture	Environmental protection	Trade facilitation
Rights and obligations	✓	✓	✓	✓	✓
Principles and policies	✓	✓	✓	✓	✓
Pest status and surveillance	✓	✓	✓	✓	✓
Pest risk analysis and import regulation	✓	✓	✓	✓	✓
Pest risk management	✓	✓	✓	✓	
Phytosanitary measures	✓	✓	✓	✓	✓
Diagnostics	✓	✓	✓	✓	✓
Export systems and certification					✓
Information exchange		✓			✓
Technical assistance	✓	✓	✓	✓	✓
Dispute avoidance and settlement	✓	✓			
Standards setting	✓	✓			✓
IPPC tools (e.g. PCE, OCS, ePhyto)	✓	✓	✓	✓	✓
Guidance and manuals	✓	✓	✓	✓	✓

IPPC

The International Plant Protection Convention (IPPC) is an international plant health agreement that aims to protect cultivated and wild plants by preventing the introduction and spread of pests. International travel and trade are greater than ever before. As people and commodities move around the world, organisms that present risks to plants travel with them.

Organization

- ◆ There are over 180 contracting parties to the IPPC.
- ◆ Each contracting party has a national plant protection organization (NPPO) and an Official IPPC contact point.
- ◆ Nine regional plant protection organizations (RPPOs) work to facilitate the implementation of the IPPC in countries.
- ◆ IPPC liaises with relevant international organizations to help build regional and national capacities.
- ◆ The Secretariat is provided by the Food and Agriculture Organization of the United Nations (FAO).

Food and Agriculture Organization of the United Nations

IPPC Secretariat

Viale delle Terme di Caracalla, 00153 Rome, Italy

Tel: +39 06 5705 4812

Email: ippc@fao.org | Web: www.ippc.int

ISBN 978-92-5-109867-7



I7267EN/1/08.17

