

2024 FIRST CONSULTATION 1 July – 30 September 2024

Compiled comments for Draft annex to ISPM 28: Irradiation treatment for *Pseudococcus baliteus* (2023-033) - English

Participants


Name	Summary
Malawi	We Draft Annex
South Africa	Consider using the same referencing style and italicizing all scientific names.

T (Type) - B = Bullet, C = Comment, P = Proposed Change, R = Rating

S (Status) - A = Accepted, C = Closed, O = Open, W = Withdrawn, M = Merged

Para	Text	T	Comment
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (49) Costa Rica (30 Sep 2024 11:34 PM) No comments
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (47) Belarus (30 Sep 2024 3:02 PM) The Republic of Belarus would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (46) Barbados (30 Sep 2024 11:36 AM) Barbados has no objections to this draft annex.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (42) Nigeria (28 Sep 2024 1:53 AM) NO COMMENTS.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (41) Germany (27 Sep 2024 6:02 PM) Germany would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System.
G	(General Comment)	C	<i>Category : TECHNICAL</i> (40) Chile (27 Sep 2024 4:21 PM) Chile agree with the document as it is
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (24) Japan (18 Sep 2024 5:29 PM) Information should be added to the reference to support the idea that adult females of <i>Pseudococcus baliteus</i> are the most resistant stage at irradiation treatment. According to the reference used to develop the draft (Zhao et al. (2023)), adult females of <i>Pseudococcus baliteus</i> were tested, but the draft does not contain any information to support the idea that adult females are the most resistant stage to irradiation treatment. On the other hand, PT 45 (Irradiation treatment for <i>Pseudococcus jackbeardsleyi</i>) and the other two draft standards on mealybugs currently being under consultation include literature in the "References" section that shows that the most resistant stage to radiation treatment is the adult female.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i>

			(36) Guyana (25 Sep 2024 4:49 PM) Guyana supports this draft annex.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (31) United Kingdom (24 Sep 2024 4:47 PM) The UK would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System. EPPO have submitted these comments on behalf of the UK and as such they should be considered as UK national comments.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (29) Switzerland (24 Sep 2024 12:20 PM) Switzerland would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System
G	(General Comment)	C	<i>Category : TECHNICAL</i> (26) Uruguay (21 Sep 2024 1:28 PM) Uruguay agrees with COSAVE comments
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (19) Mexico (6 Sep 2024 5:48 PM) No comments from Mexico. Mexico supports the adoption of this annex to ISPM 28: Irradiation treatment for <i>Pseudococcus baliteus</i> (2023-033) in its current format.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (18) Senegal (29 Aug 2024 12:02 PM) No comment
G	(General Comment)	C	<i>Category : EDITORIAL</i> (16) South Africa (20 Aug 2024 12:15 PM) Consider using the same referencing style and italicizing all scientific names.
G	(General Comment)	C	<i>Category : EDITORIAL</i> (14) South Africa (19 Aug 2024 3:49 PM) The NPPO of SA support this draft
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (11) Thailand (19 Aug 2024 3:59 AM) Thailand agrees with this draft annex to ISPM 28.
G	(General Comment)	C	<i>Category : TECHNICAL</i> (8) COSAVE (15 Aug 2024 12:47 AM) We agree with the document as it is
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (3) New Zealand (8 Aug 2024 6:04 AM) New Zealand supports the adoption of this annex
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (1) Nigeria (22 Jul 2024 12:50 PM) No comments
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Pseudococcus baliteus</i> (2023-033)	C	<i>Category : SUBSTANTIVE</i> (48) Russian Federation (30 Sep 2024 5:11 PM) 'General comment': "The Russian Federation would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System"
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Pseudococcus baliteus</i> (2023-033)	C	<i>Category : SUBSTANTIVE</i> (44) Malawi (29 Sep 2024 11:26 AM) We support the Draft Annex to ISPM 28


1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Pseudococcus baliteus</i> (2023-033)	C	Category : TECHNICAL (32) Canada (24 Sep 2024 8:23 PM) Canada supports this DRAFT ANNEX.
1	DRAFT ANNEX TO ISPM 28: PROYECTO DE ANEXO A LA NIMF 28: Irradiation treatment for Tratamiento de irradiación para <i>Pseudococcus baliteus</i> (2023-033) <i>Pseudococcus baliteus</i> (2023-033)	P	Category : SUBSTANTIVE  Honduras (20) Honduras (8 Sep 2024 10:41 PM) Honduras apoya la adopción de este anexo a la NIMF 28: Tratamiento de irradiación para <i>Pseudococcus baliteus</i> (2023-033).
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Pseudococcus baliteus</i> (2023-033)	C	Category : SUBSTANTIVE (10) Malawi (18 Aug 2024 1:31 PM) We support Draft Annex to ISPM 28
19	This treatment describes irradiation of fruits and fruits , vegetables <u>and ornamental plants</u> at 183 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> at the stated efficacy. ¹	P	Category : TECHNICAL (33) European Union (25 Sep 2024 4:13 PM) For consistency with paragraph 26.
19	This treatment describes irradiation of fruits and all fruits , vegetables <u>and ornamental plants</u> at 183 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> at the stated efficacy. ¹	P	Category : TECHNICAL (27) Kuwait (24 Sep 2024 8:07 AM)
19	This treatment describes <u>the</u> irradiation of fruits and fruits , vegetables <u>and ornamental plants</u> at 183 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> at the stated efficacy. ¹	P	Category : EDITORIAL (25) Japan (19 Sep 2024 3:29 PM) For consistency with paragraph 26 "Target regulated articles"
19	<u>This treatment describes irradiation of fruits, vegetables and ornamental plants</u>	P	Category : TECHNICAL (21) EPP0 (13 Sep 2024 10:13 AM) For consistency with paragraph 26.

	at 183 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> at the stated efficacy. ¹ This treatment describes irradiation of fruits and vegetables at 183 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> at the stated efficacy. ²		
19	This treatment describes irradiation of fruits and vegetables at 183 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> at the stated efficacy. ¹	C	Category : EDITORIAL Congo, DR (12) South Africa (19 Aug 2024 3:44 PM) Suggest that the wording: "Gamma irradiation" be written in full
28	Minimum absorbed dose of 183 Gy to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> .	C	Category : TECHNICAL (37) Kenya (26 Sep 2024 10:54 AM) What is the recommended exposure time to the treatment to ensure maximum mortality?
28	Minimum The minimum absorbed dose of 183 Gy is sufficient to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> .	P	Category : EDITORIAL (28) Kuwait (24 Sep 2024 8:08 AM)
28	Minimum absorbed dose of 183 Gy to prevent the hatching of eggs from <i>Pseudococcus baliteus</i> .	C	Category : TECHNICAL Congo, DR (17) Guinea-Bissau (21 Aug 2024 11:06 AM) We recommend to mention the maximum dose of irradiation
29	There is 95% confidence that the treatment according to this schedule prevents the hatching of eggs from not less than 99.9937% of all life stages of <i>Pseudococcus baliteus</i> .	C	Category : EDITORIAL Congo, DR (13) South Africa (19 Aug 2024 3:46 PM) Too many decimals, maybe keep at two.
33	Because irradiation may not result in outright mortality, inspectors may encounter live but non-viable <i>Pseudococcus baliteus</i> life stages during the inspection process. This does not imply a failure of the treatment.	C	Category : TECHNICAL (38) Kenya (26 Sep 2024 10:55 AM) How would an interception of live <i>Pseudococcus baliteus</i> on consignments that have been treated be handled?
35	The efficacy of this schedule was	C	Category : TECHNICAL

	calculated based on a total of 47 316 gravid females treated with no egg hatching; the control egg hatching was 98.17% in all confirmatory trials conducted.		(30) United States of America (24 Sep 2024 12:28 PM) This treatment seems well supported by the work of Zhao et al 2023, except we wonder why the confirmatory testing was done on gravid females instead of the most tolerant life stage that the authors found, 6 day old eggs.
36	Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i> , <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i> , <i>Citrus sinensis</i> , <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i> , <i>C. sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i> , <i>C. paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>C. sinensis</i> , <i>Solanum lycopersicum</i> , <i>Malus pumila</i> , <i>Mangifera indica</i> , <i>Persea americana</i> and <i>Prunus avium</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> sp. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Triticum aestivum</i> , <i>Hordeum vulgare</i> and <i>Zea mays</i>) (Bustos <i>et al.</i> , 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i> ,	C	Category : EDITORIAL (45) Australia (30 Sep 2024 10:58 AM) Please make formatting of genus and species names consistent.

	2010; Jessup <i>et al.</i> , 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i> , 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.		
36	Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyrifomis</i> , <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i> , <i>Citrus sinensis</i> , <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i> , Citrus <i>Citrus sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i> , Citrus <i>Citrus paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (Citrus <i>Citrus sinensis</i> , Solanum <i>Malus pumila</i> , Lycopersicum , <i>Malus pumila</i> , <i>Mangifera indica</i> , <i>Mangifera indica</i> , <i>Persea americana</i> , Persea americana <i>Prunus avium</i> and <i>Solanum lycopersicum</i> and), <i>Prunus avium</i> , <i>Cydia pomonella</i>), (<i>Cydia</i>	P	<p>Category : EDITORIAL</p> <p>(34) European Union (25 Sep 2024 4:18 PM)</p> <p>1), 2) and 3): For consistency with the other adopted PTs (see for example PT 42 and PT 45).</p> <p>4) and 5): Alphabetical order.</p>

	<p><i>pomonella</i><i>Malus pumila</i> (and artificial diet), <i>Malus pumila</i><i>Grapholita molesta</i> (and artificial diet), (<i>Grapholita molesta</i><i>Malus pumila</i> (and artificial diet), <i>Malus pumila</i> <i>Pseudococcus jackbeardsleyi</i> (and artificial diet), (<i>Pseudococcus jackbeardsleyi</i> <i>Cucurbita</i> sp. and <i>Cucurbita</i> <i>Solanum tuberosum</i> sp.) and <i>Solanum tuberosum</i> <i>Tribolium confusum</i>) and (<i>Tribolium confusum</i> <i>Hordeum vulgare</i>, <i>Triticum aestivum</i> (<i>Triticum aestivum</i>, <i>Hordeum vulgare</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.</p>		
36	<p>Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i></p>	P	<p>Category : EDITORIAL (22) EPPO (13 Sep 2024 10:13 AM) 1), 2) and 3): For consistency with the other adopted PTs (see for example PT 42 and PT 45). 4) and 5): Alphabetical order.</p>

	<p>(<i>Eugenia pyriformis</i>, <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i>, <i>Citrus sinensis</i>, <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i>, Citrus <i>Citrus sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i>, Citrus <i>Citrus paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (Citrus <i>Citrus sinensis</i>, <i>Solanum lycopersicum</i>, <i>Malus pumila</i>, <i>Mangifera indica</i>, <i>Persea americana</i>, and <i>Prunus avium</i> <u>and <i>Solanum lycopersicum</i></u>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> sp. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Triticum aestivum</i> <i>Hordeum vulgare</i>, <i>Hordeum vulgare</i>, <i>Triticum aestivum</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.</p>		
36	Extrapolation of treatment efficacy to all hosts was based on knowledge and	C	<p>Category : EDITORIAL</p> <p> Congo, DR</p> <p>(15) South Africa (20 Aug 2024 12:09 PM)</p>

<p>experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i>, <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i>, <i>Citrus sinensis</i>, <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i>, <i>C. sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i>, <i>C. paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>C. sinensis</i>, <i>Solanum lycopersicum</i>, <i>Malus pumila</i>, <i>Mangifera indica</i>, <i>Persea americana</i> and <i>Prunus avium</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> sp. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Triticum aestivum</i>, <i>Hordeum vulgare</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is</p>	<p>It is suggested that this be presented in a table format. Whereby you could list the references along with the researcher's tested doses.</p>
---	--

	recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.		
39	References	C	Category : EDITORIAL (43) China (29 Sep 2024 4:21 AM) Keep the reference format consistent.
54	Zhao, Q.-Y., Ma, F.-H., Deng, W., Li, Z.-H., Song, Z.-J., Ma, C., Ren, Y.L., Du, X. & Zhan, G.-P. 2023. Phytosanitary treatment of the aerial root mealybug, <i>Pseudococcus baliteus</i> (Hemiptera: Pseudococcidae) using gamma and X-ray irradiation. <i>Journal of Economic Entomology</i> , 116 (116(55)) 1567–1574. https://doi.org/10.1093/jee/toad170	P	Category : EDITORIAL (35) European Union (25 Sep 2024 4:24 PM) Typo: Not in bold
54	Zhao, Q.-Y., Ma, F.-H., Deng, W., Li, Z.-H., Song, Z.-J., Ma, C., Ren, Y.L., Du, X. & Zhan, G.-P. 2023. Phytosanitary treatment of the aerial root mealybug, <i>Pseudococcus baliteus</i> (Hemiptera: Pseudococcidae) using gamma and X-ray irradiation. <i>Journal of Economic Entomology</i> , 116(55) 1567–1574. https://doi.org/10.1093/jee/toad170	P	Category : EDITORIAL (23) EPPO (13 Sep 2024 10:13 AM) Typo: Not in bold

2024 FIRST CONSULTATION 1 July – 30 September 2024**Compiled comments for Draft annex to ISPM 28: Irradiation treatment for *Pseudococcus baliteus* (2023-033) - Spanish**

T (Type) - B = Bullet, C = Comment, P = Proposed Change, R = Rating

S (Status) - A = Accepted, C = Closed, O = Open, W = Withdrawn, M = Merged

Para	Text	T	Comment
1	PROYECTO DE ANEXO DE LA NIMF 28: TRATAMIENTO DE IRRADIACION CONTRA <i>PSEUDOCOCCUS BALITEUS</i> (2023-033)	C	<i>Category : EDITORIAL</i> (9) Colombia (15 Aug 2024 10:54 PM) Para los nombres científicos, el género siempre se escribe con la primera letra mayúscula y la especie en minúscula. No es correcto usarla mayúscula sostenida para nombres científicos.
12	2023-09: El Comité de Normas (CN) añadió el tema Tratamiento de irradiación contra <i>Tratamiento de irradiación contra <i>Pseudococcus baliteus</i></i> <i>Pseudococcus baliteus</i> (2023-033) al programa de trabajo del Grupo técnico sobre tratamientos fitosanitarios (GTTF) y posteriormente (2023-11) le asignó prioridad 1.	P	<i>Category : EDITORIAL</i> (5) Colombia (14 Aug 2024 10:50 PM) Ajustar el formato de cursiva sólo para el nombre científico.
12	2023-09: El Comité de Normas (CN) añadió el tema <i>Tratamiento de irradiación contra <i>Pseudococcus baliteus</i></i> (2023-033) al programa de trabajo del Grupo técnico sobre tratamientos fitosanitarios (GTTF) y posteriormente (2023-11) le asignó prioridad 1.	C	<i>Category : EDITORIAL</i> (2) Ecuador (30 Jul 2024 3:41 PM) Nombre científico de la plaga sin cursiva.
28	Dosis mínima absorbida de <u>108 gy a</u> 183 Gy para prevenir la eclosión de huevos de <i>Pseudococcus baliteus</i> .	P	<i>Category : SUBSTANTIVE</i> (6) Colombia (14 Aug 2024 10:54 PM) Al revisar el artículo científico referencial, el resultado de dosis absorbida es de 107.7–182.5 Gy. Se sugiere mencionar el valor como intervalo, como lo plantea el artículo científico
38	Esta sección no es parte de la norma. En el <u>En</u> mayo de 2016 el Comité de Normas pidió a la secretaría de la CIPF para <u>CIPF</u> reunir información sobre los posibles problemas de implementación relacionados con este proyecto. Le rogamos indicar los detalles y propuestas sobre cómo hacer frente a estos posibles problemas de implementación.	P	<i>Category : EDITORIAL</i> (7) Colombia (14 Aug 2024 10:57 PM) Se sugiere eliminar las palabras indicadas para una mejor lectura

2024 FIRST CONSULTATION 1 July – 30 September 2024

Compiled comments for Draft annex to ISPM 28: Irradiation treatment for *Pseudococcus baliteus* (2023-033) - French

T (Type) - B = Bullet, C = Comment, P = Proposed Change, R = Rating
S (Status) - A = Accepted, C = Closed, O = Open, W = Withdrawn, M = Merged

Para	Text	T	Comment
G	(General Comment)	C	Category : <i>SUBSTANTIVE</i> (39) Benin (26 Sep 2024 1:50 PM) Pas d'objection