List of the Import Prohibited Plants

(Newly added countries and plants in the list are underlined. Newly deleted countries, plants and quarantine pests are struck through. These underlined and strike-through parts will take effect on 24 August 2014)

(24 February 2014)

| Areas | Plants | Quarantine Pests |
|---|---|---------------------------|
| 1. | | |
| [Middle East] Israel, Iran, Jordan, Lebanon, Saudi | Fresh fruits of the following plants: | Ceratitis capitata |
| Arabia, Syria, Turkey, Yemen | akee, alexandrian laurel, allspice, avocado, broad | (Mediterranean fruit fly) |
| [Europe] Albania, Austria, Belgium, Bosnia and | bean, carambola, cashew, date palm, feijoa, | |
| Herzegovina, Cyprus, Croatia, Former Yugoslav | jaboticaba, kiwi fruit, litchi, longan, mammee apple, | |
| Republic of Macedonia, France, Greece, Germany, | Muntingia calabura, nance (Byrsonima crassifolia), | |
| Hungary, Italy, Kosovo, Malta, Montenegro, | olive, pomegranate, pawpaw, star berry, Thevetia | |
| Netherlands, Portugal, Serbia, Spain, Slovenia, | peruviana, Carica (excluding those listed in Appendix | |
| Switzerland, United Kingdom (Great Britain and | 1), Annona, Artocarpus, Carissa, Coccoloba, Coffea, | |
| Northern Ireland, hereinafter referred to as "United | Diospyros (excluding those listed in Appendix 41), | |
| Kingdom") | Dovyalis, Eugenia, Ficus, Garcinia, Gossypium, Ilex, | |
| [Africa] Africa | Juglans, Malpighia, Mangifera (excluding those listed | |
| [North America] Bermuda | in Appendices 2, 36, 43, 51 and 53), Morus, Ribes, | |
| [Latin America] Argentina, Bolivia, Brazil, Colombia, | Musa (excluding immature banana) , Passiflora, | |
| Costa Rica, Ecuador, El Salvador, Guatemala, | Phaseolus, Psidium, Santalum, Spondias, | |
| Honduras, Nicaragua, Panama, Paraguay, Peru, | Terminalia, Vaccinium, Vitis (excluding those listed in | |
| Uruguay, Venezuela, West Indies (excluding Cuba, | Appendices 3 and 54) , Ziziphus, Cactaceae | |
| Dominican Republic, Puerto Rico) | (excluding those listed in Appendix 35), | |
| [Oceania] Australia (excluding Tasmania), Hawaiian | Cucurbitaceae (excluding those listed in Appendices | |

| Islands | 3 and 42), Rosaceae (excluding those listed in | |
|--|--|-------------------------------------|
| | Appendices 3 and 31), Rutaceae (excluding those | |
| | listed in Appendices 4 to 8, 39, 45 and 56), | |
| | Sapotaceae and Solanaceae (excluding those listed | |
| | in Appendices 3 and 42) | |
| 2. | | |
| [Asia] Bangladesh, Bhutan, Brunei, China | Fresh fruits of the following plants: | Bactrocera dorsalis species complex |
| (excluding Hong Kong, hereinafter referred to as | alexandrian laurel, cashew, apple, apricot, Arenga | (Oriental fruit fly) |
| "China"), Cambodia, Hong Kong, India, Indonesia, | englei, avocado, <i>Baccaurea sapida</i> , barbados | |
| Laos, Malaysia, Myanmar, Nepal, Pakistan, | cherry, betel nut, carambola, citrus (excluding those | |
| Philippines, Singapore, Sri Lanka, Taiwan, Thailand, | listed in Appendix 10) , date palm, fig. Glycosmis | |
| Timor-Leste, Viet Nam | pentaphylla, grape (excluding those listed in | |
| [Oceania] French Polynesia, Hawaiian Islands, | Appendix 32), indian laurel, litchi (excluding those | |
| Micronesia, Papua New Guinea | listed in Appendices 13 and 14), longan, loquat, | |
| | Myrica rubra, olive, papaya (excluding those listed in | |
| | Appendices 1, 11 and 12, the same in item 4), | |
| | Paramignya andamanica, peach, pear, plum, | |
| | pomegranate, rambutan, santol, strawberry, tahiti | |
| | chestnut, Terminalia catappa, Tetractomia majus, | |
| | tomato <u>, <i>Triphasia trifolia</i>,</u> wampi, <i>Annona,</i> | |
| | Artocarpu, Bouea, Capsicum, Coffea, Diospyros, | |
| | Eugenia, Garcinia (excluding those listed in | |
| | Appendix 40), Hylocereus (excluding those listed in | |
| | Appendices 52 and 55, the same in item 4), | |
| | Lansium, Mangifera (excluding those listed in | |

| | Appendices 15 to 17, 36, 48 and 50, the same in | |
|--|--|------------------------|
| | item 4), Passiflora, Psidiums, Rollinia, Solanum, | |
| | Spondias, Zizyphus, Sapotaceae, and mature | |
| | banana | |
| 3. | | |
| [Oceania] Australia (excluding Tasmania), French | Fresh fruits of the following plants: | Bactrocera tryoni |
| Polynesia, New Caledonia, Papua New Guinea | acerola, apple, apricot, avocado, breadfruit, | (Queensland fruit fly) |
| | Capsicum annuum, Capsicum frutescens, | |
| | Casimiroa tetrameria, carambola, cashew, cherry, | |
| | citrus (excluding those listed in Appendix 7) _ | |
| | Cyphomandra betacea, date palm. Eremocitrus | |
| | glauca, feijoa, fig. Glycosmis trifoliata, guavat, | |
| | grape, Hylocereus megalanthus, kiwi fruit, litchi, | |
| | loquat, medlar, Murraya exotica, olive, Opuntia | |
| | ficus-indica, papaya, pear, peach, Physalis | |
| | peruviana, plum, pomegranate, quince, santol, | |
| | strawberry, tomato, wanpi, white sapote, | |
| | Acronychia, Annona, Coffea, Diospyros, Eugenia | |
| | Mangifera (excluding those listed in Appendix 2), | |
| | Morus, Passiflora, Rollinia, Rubus <u>, Solanum,</u> | |
| | Spondias, Terminalia, Vaccinium, Zizyphus, | |
| | Sapotaceae and mature banana | |
| 4. | | |
| [Asia] Bangladesh, Bhutan, Brunei, Cambodia, | Live vines, leaves and fresh fruits of Cucurbitaceae | Bactrocera cucurbitae |
| China, Hong Kong, India, Indonesia, Laos, | (excluding those listed in Appendix 18) | (Melon fly) |

| Malaysia, Myanmar, Nepal, Pakistan, Philippines, | | |
|--|--|-------------------|
| | Fresh fruits of the following plants: | |
| Timor-Leste, Viet Nam | Capsicum annuum, Capsicum frutescens, | |
| | | |
| [Middle East] Afghanistan | carambola, cowpea, eggplant, kidney bean, papaya, | |
| [Africa] Benin, Burkina Faso, Cameroon, Côte | pigeon pea, tomato, <i>Hylocereus</i> and <i>Mangifera</i> | |
| d'Ivoire, Gambia, Guinea, Kenya, Mali, Mauritius, | | |
| Niger, Nigeria, Republic of the Congo, Reunion, | | |
| Senegal, Seychelles, South Sudan, Sudan, | | |
| Tanzania, Togo, Uganda | | |
| [Oceania] Hawaiian Islands, Micronesia, Papua | | |
| New Guinea | | |
| 5. | | |
| [Asia] China, India, Pakistan | Fresh fruits of the following plants: | Cydia pomonella |
| [Middle East] Afghanistan, Iran, Iraq, Israel, Jordan, | apple (excluding those listed in Appendices 24, 25, | (Codling moth) |
| Lebanon, Syria, Turkey | 31 and 34), apricot, cherry (excluding those listed in | |
| [Europe] Europe | Appendices 19 to 21, 38 and 44), peach (excluding | |
| [Africa] Africa | those listed in Appendices 22 and 23), pear, plum | |
| [North America] Canada, United States of America | (excluding those listed in Appendix 37) and quince | |
| (excluding Hawaiian Islands, hereinafter referred to | | |
| as "United States of America") | Fresh fruits and nuts in shell of walnut (excluding | |
| [Latin America] Argentina, Bolivia, Brazil, Chile, | those listed in Appendix 26). | |
| Colombia, Mexico, Peru, Uruguay | | |
| [Oceania] Australia, New Zealand | | |
| 6. | | |
| [Asia] Bangladesh, Brunei, Cambodia, China, Hong | Live vines, leaves, tuberous roots and other | Cylas formicarius |

| Kong, India, Indonesia, Laos, Malaysia, Myanmar, | underground portions of the following plants: | (Sweet potato weevil) |
|--|--|-----------------------------------|
| Philippines, Singapore, Sri Lanka, Taiwan, Thailand, | Calystegia, Ipomoea and Pharbitis | |
| Timor-Leste , Viet Nam | | |
| [Africa] Africa | Live tuberous roots and other underground portions | |
| [North America] United States of America | of cassava. | |
| [Latin America] Latin America | | |
| [Oceania] Australia, Hawaiian Islands, Melanesia, | | |
| Micronesia, Papua New Guinea, Polynesia | | |
| 7. | | |
| [Asia] China | Live vines, leaves, tuberous roots and other | Euscepes postfasciatus |
| [North America] United States of America | underground portions of the following plants: | (West Indian sweet potato weevil) |
| [Latin America] Latin America | Calystegia, Ipomoea and Pharbitis | |
| [Oceania] Hawaiian Islands, Melanesia, Micronesia, | | |
| Polynesia | | |
| 8. | | |
| [Asia] Bhutan, India, Nepal | Live haulms, leaves, tubers, and other underground | Synchytrium endobioticum |
| [Middle East] Turkey | portions of Solanaceae. | (Potato wart) |
| [Europe] Europe (excluding Albania, Cryprus and | | |
| Greece) | | |
| [Africa] Algeria, Republic of South Africa, Tunisia | | |
| [North America] Canada | | |
| [Latin America] Bolivia, Ecuador, Falkland Islands, | | |
| Peru, Uruguay | | |
| [Oceania] New Zealand | | |
| 9. | | |
| | | |

| [Asia] China | Live haulms and leaves of the following plants: | Leptinotarsa decemlineata |
|---|---|---------------------------|
| [Middle East] Iran, Iraq, Turkey | Cirsium, Verbascum and Solanaceae | (Colorado potato beetle) |
| [Europe] Almenia, Austria, Azerbaijan, Belarus, | | , |
| Belgium, Bosnia and Herzegovina, Bulgaria, | | |
| Croatia, Czech Republic, Denmark, Estonia, Former | | |
| Yugoslav Republic of Macedonia, France, Georgia, | | |
| Germany, Greece, Hungary, Italy, Kazakhstan, | | |
| Kosovo, Kyrgyz, Lithuania, Luxembourg, Moldova, | | |
| Montenegro, Netherlands, Poland, Portugal, | | |
| Rumania, Russia, Serbia, Slovak, Slovenia, Spain, | | |
| Switzerland, Tajikistan, Ukraine, United Kingdom, | | |
| Uzbekistan | | |
| [North America] Canada, United States of America | | |
| [Latin America] Mexico | | |
| 10. | | |
| [Asia] India, Indonesia, Pakistan, Philippines, Sri | Live tubers and other underground portions of | Globodera rostochiensis |
| Lanka | Chenopodium and Solanaceae (excluding those | (Potato cyst nematode) |
| [Middle East] Iran, Israel, Lebanon, Turkey | listed in Appendix 46). | |
| [Europe] Armenia, Austria, Azerbaijan, Belarus, | | |
| Belgium, Bosnia and Herzegovina, Bulgaria, | | |
| Croatia, Cyprus, Czech Republic, Denmark, | | |
| Estonia, Finland, France, Georgia, Germany, | | |
| Greece, Hungary, Iceland, Ireland, Italy, Kazakhstan, | | |
| Kyrgyz, Latvia, Lithuania, Luxembourg, Malta, | | |
| Moldova, Netherlands, Norway, Poland, Portugal, | | |

| D : 01 1 01 : 0 : 0 : | | |
|---|---|------------------------------|
| Russia, Slovak, Slovenia, Spain, Sweden, | | |
| Switzerland, Tajikistan, Turkmenistan, Ukraine, | | |
| United Kingdom, Uzbekistan | | |
| [Africa] Algeria, Canary Islands (Spanish territory), | | |
| South Africa | | |
| [North America] Canada, United States of America | | |
| [Latin America] Argentina, Belize, Bolivia, Chile, | | |
| Costa Rica, El Salvador, Guatemala, Honduras, | | |
| Mexico, Nicaragua, Panama, Peru, Venezuela | | |
| [Oceania] Australia, New Zealand | | |
| 11. | | |
| [Asia] India, Pakistan | Live tubers and other underground portions of | Globodera pallida |
| [Middle East] Turkey | Solanaceae (excluding those listed in Appendix 46). | (White potato cyst nematode) |
| [Europe] Armenia, Austria, Azerbaijan, Belarus, | | |
| Bulgaria, Cyprus, Czech Republic, Denmark, | | |
| Estonia, France, Georgia, Germany, Greece, | | |
| Hungary, Iceland, Ireland, Italy, Kazakhstan, Kyrgyz, | | |
| Latvia, Lithuania, Malta, Moldova, Netherlands, | | |
| Norway, Poland, Portugal, Russia, Spain, Sweden, | | |
| Switzerland, Tajikistan, Turkmenistan, Ukraine, | | |
| United Kingdom, Uzbekistan | | |
| [Africa] Canary Islands | | |
| [North America] Canada, United States of America | | |
| [Latin America] Bolivia, Chile, Colombia, Ecuador, | | |
| Falkland Islands, Panama, Peru, Venezuela | | |

| [Oceania] New Zealand | | |
|--|--|-----------------------------|
| 12. | | |
| [Asia] Myanmar | Live haulms, leaves and fresh fruits of Solanaceae | Peronospora tabacina |
| [Middle East] Iran, Iraq, Israel, Jordan, Lebanon, | (excluding those listed in Appendices 27, 30, 42 and | (Blue mold) |
| Syria, Turkey, United Arab Emirates, Yemen | 47). | |
| [Europe] Europe (excluding Netherlands and | | |
| Cyprus) | | |
| [Africa] Algeria, Egypt, Libya, Morocco, Republic of | | |
| South Africa, Tunisia | | |
| [North America] Canada, United States of America | | |
| [Latin America] Argentina, Brazil, Costa Rica, | | |
| Cuba, Dominican Republic, El Salvador, Guatemala, | | |
| Haiti, Honduras, Jamaica, Mexico, Nicaragua, | | |
| Puerto Rico, Uruguay, Venezuela | | |
| [Oceania] Australia (excluding Tasmania) | | |
| 13. | | |
| [North America] United States of America | Underground portions of live plants of the following | Radopholus citrophilus |
| [Oceania] Hawaiian Islands | plants: | (Citrus burrowing nematode) |
| | alfalfa,_avocado, balsam pear, Capsicum annuum, | |
| | Capsicum frutescens, corn, Indigofera hirsuta, | |
| | kidney bean, leek, litchi, loblolly pine, melon, okra, | |
| | peanut (excluding seeds without pod), pepper, | |
| | pineapple, <i>Pinus elliotii</i> , radish, soybean, sugarcane, | |
| | summer squash, sweet potato, tomato, watermelon, | |
| | Anthurium (excluding those listed in Appendices 49), | |

| | Beta, Musa and Rutaceae | |
|---|--|--|
| 14. | | |
| [Middle East] Turkey | Culms and leaves of the following plants: | Mayetiola destructor |
| [Europe] Europe (excluding Cyprus) | Hordeum, Secale and Triticum (including straw | (Hessian fly) |
| [Africa] Morocco, Syria, Tunisia | packing materials and straw goods similar thereof | |
| [North America] Canada, United States of America | referred to as "straw" in Appendices 28 and 33) | |
| [Oceania] New Zealand | | |
| | Culms and leaves of Agropyron (exculding those | |
| | listed in Appendices 28 and 33). | |
| 15. | | |
| Foreign countries excluding North Korea, Korea and | Rice plants, rice straw (including rice straw bags, | Ditylenchus angustus |
| Taiwan | mats, and other rice straw goods similar thereof | (Rice stem nematode), Balansia |
| | (excluding those listed in Appendix 29)), unhulled | oryzae-sativae, Xanthomonas oryzae |
| | rice and rice hull. | pv. oryzicola and other quarantine pests |
| | | not existing in Japan. |
| 16. | | |
| [Middle East] Iran, Israel, Jordan, Lebanon, Syria, | Live plants and plant parts (including fruit, flower and | Erwinia amylovora |
| Turkey | pollen, other than seed) of the following plants: | (Fire blight) |
| [Europe] Albania, Armenia, Austria, Belarus, | loquat, medler, Pseudocydonia sinensis, quince, | |
| Belgium, Bosnia and Herzegovina, Bulgaria, | Aronia, Crataegomespilus, Amelanchier, | |
| Croatia, Cyprus, Czech Republic, Denmark, Former | Choenomeles, Cotoneaster, Crataegus, | |
| Yugoslav Republic of Macedonia, France, Germany, | Dichotomanthes, Docynia, Heteromeles, Malus | |
| Greece, Hungary, Ireland, Italy, Kosovo, | (excluding those listed in Appendices 24, 25 and 31), | |
| Liechtenstein, Lithuania, Luxembourg, Moldva, | Osteomeles, Peraphyllum, Photinia, Pyracantha, | |
| Montenegro, Netherlands, Norway, Poland, | Pyrus, Raphiolepis, Sorbus and Stranvaesia | |

| Romania, Serbia, Slovak, Slovenia, Spain, Sweden, | | |
|---|--|---------------------------------------|
| Switzerland, United Kingdom | | |
| [Africa] Algeria, Egypt, Morocco | | |
| [North America] Canada, United States of America | | |
| [Latin America] Bermuda, Guatemala, Mexico | | |
| [Oceania] New Zealand | | |
| 17. | | |
| [Asia] Bangladesh, Bhutan, Cambodia, China, | Live plants and plant parts (excluding seed and fruit) | Candidatus Liberibacter asiaticus, |
| India, Indonesia, Laos, Malaysia, Myanmar, Nepal, | of the following plants: | Candidatus Liberibacter africanus and |
| Pakistan, Philippines, Sri Lanka, Taiwan, Thailand, | Aeglopsis chevalieri, Atalantia missionis, | Candidatus Liberibacter americanus |
| Timor-Leste, Viet Nam | Balsamocitrus dawei, Calodendrum capensis, | (Huanglongbing) |
| [Middle East] Iran, Saudi Arabia, Yemen | Citroncirus webberi, Clausena indica, Feronia | |
| [Africa] Africa | limonia, Microcitrus australasica, Microcitrus | |
| [North America] United States of America | australis, Severinia buxifolia, Swinglea glutinosa, | |
| [Latin America] Belize, Brazil_Costa Rica, Cuba, | Triphasia trifolia, wampi and Toddalia. | |
| Dominican Republic, Jamaica, Mexico, Nicaragua, | | |
| Puerto Rico, United States Virgin Islands | | |
| [Oceania] Papua New Guinea | | |

Appendix

(Omitted)