



Food and Agriculture  
Organization of the  
United Nations



International Plant Protection Convention  
Protecting the world's plant resources from pests

INTERNATIONAL STANDARD FOR PHYTOSANITARY MEASURES 28

PHYTOSANITARY TREATMENT

ISPM 28  
ANNEX 24

ENG

# PT 24: Cold treatment for *Ceratitis capitata* on *Citrus sinensis*

This page is intentionally left blank

# ISPM 28

## Phytosanitary treatments for regulated pests

### PT 24: Cold treatment for *Ceratitis capitata* on *Citrus sinensis*

Adopted 2017; published 2017

#### Scope of the treatment

This treatment describes the cold treatment of fruit of *Citrus sinensis*<sup>1</sup> (orange) to result in the mortality of eggs and larvae of *Ceratitis capitata* at the stated efficacy<sup>2</sup>.

#### Treatment description

Name of treatment	Cold treatment for <i>Ceratitis capitata</i> on <i>Citrus sinensis</i>
Active ingredient	n/a
Treatment type	Physical (cold)
Target pest	<i>Ceratitis capitata</i> (Wiedemann, 1824) (Diptera: Tephritidae)
Target regulated articles	Fruit of <i>Citrus sinensis</i>

#### Treatment schedule

##### Schedule 1: 2 °C or below for 16 continuous days

There is 95% confidence that the treatment according to this schedule kills not less than 99.9937% of eggs and larvae of *Ceratitis capitata*.

##### Schedule 2: 2 °C or below for 18 continuous days

There is 95% confidence that the treatment according to this schedule kills not less than 99.999% of eggs and larvae of *Ceratitis capitata*.

##### Schedule 3: 3 °C or below for 20 continuous days

There is 95% confidence that the treatment according to this schedule kills not less than 99.9989% of eggs and larvae of *Ceratitis capitata*.

The fruit must reach the treatment temperature before treatment exposure time commences. The fruit temperature should be monitored and recorded, and the temperature should not exceed the stated level throughout the duration of the treatment.

---

<sup>1</sup> *Citrus* species and hybrids are named according to the nomenclature in Cottin, R. 2002. *Citrus of the world: A citrus directory*, version 2.0. France, SRA INRA-CIRAD.

<sup>2</sup> The scope of phytosanitary treatments does not include issues related to pesticide registration or other domestic requirements for contracting parties' approval of treatments. Treatments adopted by the Commission on Phytosanitary Measures may not provide information on specific effects on human health or food safety, which should be addressed using domestic procedures before contracting parties approve a treatment. In addition, potential effects of treatments on product quality are considered for some host commodities before their international adoption. However, evaluation of any effects of a treatment on the quality of commodities may require additional consideration. There is no obligation for a contracting party to approve, register or adopt the treatments for use in its territory.

## Other relevant information

In evaluating this treatment the Technical Panel on Phytosanitary Treatments considered issues associated with temperature regimes and thermal conditioning, taking into account the work of Hallman and Mangan (1997).

Schedule 1 was based on the work of Laborda *et al.* (1997) and Santaballa *et al.* (1995), using larval mortality.

Schedules 2 and 3 were based on the work of De Lima *et al.* (2007), using failure to pupariate as the measure of mortality.

## References

The present annex to the standard may refer to International Standards for Phytosanitary Measures (ISPMs). ISPMs are available on the International Phytosanitary Portal (IPP) at <https://www.ippc.int/core-activities/standards-setting/ispmss>.

- De Lima, C.P.F., Jessup, A.J., Cruickshank, L., Walsh, C.J. & Mansfield, E.R.** 2007. Cold disinfestation of citrus (*Citrus* spp.) for Mediterranean fruit fly (*Ceratitis capitata*) and Queensland fruit fly (*Bactrocera tryoni*) (Diptera: Tephritidae). *New Zealand Journal of Crop and Horticultural Science*, 35: 39–50.
- Hallman, G.J. & Mangan, R.L.** 1997. Concerns with temperature quarantine treatment research. In: G.L. Obenauf, ed. 1997 *Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reduction*. San Diego, CA, 3–5 November 1997, pp. 79-1–79-4.
- Laborda, R., Cerdá, M., Santaballa, E. & Dalmau, A.** 1997. *Report of quarantine cold treatment to control Ceratitis capitata (Wied) to export Salustiana oranges to Japan*. Valencia, Spain, Universidad Politécnica de Valencia. 16 pp.
- Santaballa, E., Laborda, R. & Dalmau, A.** 1995. *Report of quarantine cold treatment to control Ceratitis capitata (Wied) to export oranges to Japan*. Valenica, Spain, Universidad Politécnica de Valencia. 22 pp.

## Publication history

*This is not an official part of the standard*

2007-09 Treatment submitted.	2014-04 Treatment received formal objection before CPM-9.
2007-12 TPPT combined <i>Cold treatment of Citrus sinensis for Ceratitis capitata</i> (2007-TPPT-106) and 2007-TPPT-109 to create 2007-206A.	2015-11 SC assigned the status “pending”.
2008-04 CPM-3 added subject under the topic <i>Fruit fly treatments</i> .	2016-09 TPPT agreed that there are no fruit fly population differences in relation to cold treatment and no varietal or cultivar effects for <i>Citrus</i> , thus recommended merging draft annex to ISPM 28 2010-103 with 2007-206A; TPPT agreed that there are no fruit fly population differences in relation to cold treatment and no varietal or cultivar effects.
2008-09 SC approved for member consultation via e-decision.	2016-09 TPPT recommended to SC for adoption.
2009-06 Member consultation.	2016-11 SC recommended to CPM-12 for adoption via e-decision (2016_eSC_Nov_05).
2010-07 TPPT meeting revised draft and recommended to SC for adoption.	2017-04 CPM-12 adopted the phytosanitary treatment.
2011-11 SC commented by e-decision (2011_SC_Nov_03).	<b>ISPM 28. Annex 24. Cold treatment for Ceratitis capitata on Citrus sinensis</b> (2017). Rome, IPPC, FAO.
2012-12 TPPT revised draft and recommended to SC for adoption.	Publication history last updated: 2017-04
2013-11 SC recommended to CPM-9 for adoption via e-decision (2013_eSC_Nov_01).	

This page is intentionally left blank

## **IPPC**

The International Plant Protection Convention (IPPC) is an international plant health agreement that aims to protect cultivated and wild plants by preventing the introduction and spread of pests. International travel and trade are greater than ever before. As people and commodities move around the world, organisms that present risks to plants travel with them.

### **Organization**

- ◆ There are over 180 contracting parties to the IPPC.
- ◆ Each contracting party has a national plant protection organization (NPPO) and an Official IPPC contact point.
- ◆ Nine regional plant protection organizations (RPPOs) work to facilitate the implementation of the IPPC in countries.
- ◆ IPPC liaises with relevant international organizations to help build regional and national capacities.
- ◆ The Secretariat is provided by the Food and Agriculture Organization of the United Nations (FAO).

### **International Plant Protection Convention (IPPC)**

Viale delle Terme di Caracalla, 00153 Rome, Italy

Tel: +39 06 5705 4812

Email: [ippc@fao.org](mailto:ippc@fao.org) | Web: [www.ippc.int](http://www.ippc.int)